## Summary to the work program of the discipline "Planning the treatment of anomalies and deformities of the dentoalveolar system»

General Educational Program of higher education (specialist's degree programs)

31.05.03 Dentistry Department: Orthopedic dentistry and Orthodontics

**1.** The purpose of mastering the discipline (*participation in the formation of relevant competencies – specify the codes*):

# **2.** Position of the academic discipline in the structure of the General Educational Program (GEP).

**2.1.** The discipline refers to the core part (or *the part formed by the participants of educational relations*) of Block 1 of GEP HE, elective disciplines, additional disciplines.

#### 3. Deliverables of mastering the academic discipline and metrics of

#### competence acquisition

Mastering the discipline aims at acquiring the following universal (UC) or/and general professional (GPC) or/and professional (PC) competencies

Nº	Comp etence	The content of the competenceCode and name of the competenceAs a result of mastering the disc students should:		-		
	code	(or its part)	acquisition metric	know	be able to	possess
1	UC - 1	UC-1. Able to carry out a critical analysis of problem situations based on a systematic approach, develop an action strategy	ID-1uc-1.1Drawing up a clear picture of the pathogenesis of the formation of anomalies of the dentition ID-2uc- 1.2Visualization and reproduction of changes in the structure of the dentition during and as a result of the treatment	Methods of analysis and synthesis of information	Think abstractly, analyze and synthesize information	Abstract thinking, analysis and synthesis of the received information
2	PC -1	PC-1 Ability and willingness to implement a set of measures aimed at maintaining and strengthening health and including the formation of a healthy lifestyle for the patient	ID-1 <sub>PC-1</sub> Planning and putting into action a set of measures aimed at maintaining and strengthening health. ID-2 <sub>PC-1</sub> Selection and justification of ways to maintain a healthy lifestyle, prevent the	A set of measures aimed at maintaining and strengthening health and including the formation of a healthy lifestyle, prevention of	To carry out a set of measures aimed at maintaining and strengthening health and including the formation of a healthy lifestyle,	A set of measures aimed at maintaining and strengthening health and including the formation of a healthy lifestyle, prevention of the occurrence

		(their relatives / legal representatives). Prevention of the occurrence and (or) spread of dental diseases, their early diagnosis, identification of the causes and conditions for the occurrence and development, as well as prevention.	occurrence and (or) spread of dental diseases	the occurrence and (or) spread of dental diseases.	prevention of the occurrence and (or) spread of dental diseases.	and (or) spread of dental diseases.
3	PC-2	PC-2 The ability and willingness to conduct preventive medical examinations, medical examinations of various categories of citizens and the implementation of dispensary observation of patients with dental pathology	ID-1PC-2Drawing up a set of preventive measures to prevent the formation of anomalies of the dentition ID-2PC-2Drawing up a plan for dispensary observation of the patient until the end of the retention period	Prevention and medical examination of patients with malocclusion. prophylactic devices. Stages of development of the facial skeleton. Principles of conducting myogymnastic s.	To carry out prevention and medical examination of patients with malocclusion. Organize myogymnasti cs in children's institutions. Form groups for myogymnasti cs. Choose prophylactic devices	Methods of preventive examinations and clinical examination of patients with malocclusion. Methods of organizing, conducting and controlling myogymnastics.
4	PC-6	PC-6 Readiness to collect and analyze complaints and other information from the patient (relatives/legal representatives), his medical history, interpretation of examination results, laboratory, instrumental, pathoanatomical	ID-1PC-6 Planning a clinically based examination of a patient with malocclusion, the appointment of research methods to eliminate errors in the diagnosis	Rules and sequence of examination of a patient with anomalies of the dentition. Indications and contraindicati ons for the choice of examination methods. Classification of anomalies of the	Collect and analyze the patient's complaints, his medical history, examination results and additional research methods to establish the fact of the presence or absence of anomalies of the	Techniques for examining a patient to recognize a condition or establish the fact of the presence or absence of anomalies of the dentoalveolar system.

5   PC-7   PC-7   The ability to determine the billity to determine the bill			and athen		danta alwa alan	danta alexa a lan	
5 PC-7 PC-7 ID-1re-7Rationale for the chained and the discase standard Tactics of managing patients with anomalies of the tactics of tactics of the tactics of tactics of the tactics Tactics of managing patients with anomalies of the tactics of tactics of			and other		dentoalveolar	dentoalveolar	
5 PC-7 PC-7 ID-1rc-7Rationale for the provision of medical care, etc.) Tactics of managing patients with anomalies of the tactics for the tactics of tactics of the tactics of tactics of tactics of the tactics of tactics of tactics of tac					system.	system	
5 PC-7 PC-7 ID-1pc-7Rationale for the choice of medical care, etc.) Tactics of managing patients with anomalies of the managing patients with anomalies of the managing Tactics of managing patients with anomalies of the managing patients with anomalies of the managing			-				
5   PC-7   PC-7   ID-1rc-7Rationale for the choice of medical care, etc.)   Tactics of managing patients with anomalies of managing patients with anomalies of the software							
5   PC-7   PC-7   ID-1rc-7Rationale for the choice of medical care, etc.)   Tactics of managing patients with anomalies of the source			establish the				
5 PC-7 PC-7 ID-1PC-7Rationale provision of medical care, etc.) Tactics of managing patients with anomalies of the treatment of patients with anomalies of the managing patients with anomalies of the same patients with			presence or				
5 PC-7 PC-7 ID-1PC-7Rationale for the provision of medical care, etc.) Tactics of managing patients with anomalies of the tactics of the tactics of Tactics of managing patients with anomalies of Tactics of managing patients with anomalies of			absence of a				
5 PC-7 PC-7 ID-1PC-7Rationale for the provision of medical care, etc.) Tactics of managing patients with anomalies of the tactics of the tactics of Tactics of managing patients with anomalies of Tactics of managing patients with anomalies of			dental disease.				
5   PC-7   PC-7   ID-1pc-7Rationale for the choice of medical care, etc.)   Tactics of managing patients with anomalies of treatent with anomalies of   Tactics of managing patients with anomalies of the managing patients with anomalies of the managing			,				
5 PC-7 PC-7 The ability to determine the tactics of the choice of tactics of tactics of the choice of tactics of the tactics of tactics of the tactics of tacti							
5 PC-7 PC-7 ID-1rc-7Rationale for the ability to determine the tractics of the choice of tactics of the tactics of the tactics of the tactics of the tactics of the tactics of tactics of the tactics of							
5 PC-7 PC-7 ID-1rc-7Rationale for the choice of medical care, etc.) Tactics of managing patients with anomalies of the tactics of the managing patients with anomalies of the tactics of the							
5 PC-7 PC-7 ID-1rc-7Rationale for the choice of medical care, etc.) Tactics of managing patients with anomalies of the tactics of the treatment of patients							
5 PC-7 PC-7 ID-1pc-7Rationale for the ability to determine the actics of the statistical Tactics of managing patients with anomalies of the Tactics of managing patients with anomalies of the			-				
5   PC-7   PC-7   ID-1PC-7Rationale for the choice of the							
Statistical Classification of Diseases and Related Health Problems, and other regulatory documents of the Ministry of Health of the Russian Federation (Procedure for the provision of medical care, Standard of Medical Care, Clinical Recommendatio ns on the provision of medical care, etc.)ID-1rc-7Rationale for the choice of managing patients with anomalies of manging patients with anomalies of the anomalies of the manging patients with anomalies of the tractices with anomalies with <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>							
5   PC-7   PC-7   ID-1PC-7Rationale for the choice of the							
5PC-7PC-7ID-1PC-7Rationale for the ability to determine the tactics of the terament of patientsTactics of managing patients with anomalies of the tactics of the managing patients with anomalies of the			Statistical				
5PC-7PC-7ID-1PC-7Rationale for the ability to determine the tactics of t			Classification of				
5PC-7PC-7ID-1pc-7Rationale for the choice of tactics for the treatment of patients with anomalies of the anaging patients with anomalies of theTactics of managing patients with anomalies of the managing patients with			Diseases and				
5   PC-7   PC-7   ID-1PC-7Rationale for the choice of tactics for the choice of tactics of the tactics of the tactics of the choice of tactics of the tactics of tactics tacks of the tactics of the tactics of the tactics of the tactics of tactics tacks of the tactics of tactics tacks of tactics tacks of tactics tacks of tactics tacks of			Related Health				
5   PC-7   PC-7   ID-1PC-7Rationale for the choice of tactics for the choice of tactics of the tactics of the tactics of the choice of tactics of the tactics of tactics tacks of the tactics of the tactics of the tactics of the tactics of tactics tacks of the tactics of tactics tacks of tactics tacks of tactics tacks of tactics tacks of			Problems, and				
5   PC-7   PC-7   ID-1PC-7Rationale for the choice of tactics for the choice of tactics of tactics of tactics of the choice of							
5PC-7PC-7ID-1PC-7Rationale for the choice of tactics of the choice of tactics							
5PC-7PC-7ID-1PC-7Rationale for the choice of tactics of the text cits cits cits cits cits cits cits cit							
Russian Federation (Procedure for the provision of medical care, Standard of Medical Care, Clinical Recommendatio ns on the provision of medical care, etc.)Russian etc.5PC-7PC-7 The ability to determine the tactics of tactics of teatment of patientsTactics of managing patients with anomalies of the anomalies of the							
Federation (Procedure for the provision of medical care, Standard of Medical Care, Clinical Recommendatio ns on the provision of medical care, etc.)Federation for the choice of tactics for the treatment of patientsImage: Clinical recommendatio tactics of managing patients with anomalies ofTactics of managing patients with anomalies of the tanomalies of the							
5PC-7PC-7ID-1PC-7Rationale for the choice of tactics for the treatment of patientsTactics of managing patients with anomalies of theTactics of managing patients with anomalies of the tanomalies of the							
the provision of medical care, Standard of Medical Care, Clinical Recommendatio ns on the provision of medical care, etc.)ID-1PC-7Rationale for the choice of tactics for the treatment of patientsTactics of managing patients with anomalies ofTactics of managing patients with anomalies of the tactics of the tactics of the tactics of the treatment of patientsTactics of managing patients with anomalies of the tactics of the tactics of the treatment of patientsTactics of managing patients with anomalies of the tactics of the tactics of the treatment of patientsTactics of managing patients with anomalies of the tactics of the tactics of the treatment of patientsTactics of managing patients with anomalies of the							
5PC-7PC-7ID-1PC-7Rationale for the choice of tactics for the treatment of patientsTactics of managing patients with anomalies of theTactics of managing patients with anomalies of the			`				
Standard of Medical Care, Clinical Recommendatio ns on the provision of medical care, etc.)Standard of Medical Care, Clinical Recommendatio ns on the provision of medical care, etc.)ID-1PC-7Rationale for the choice of tactics for the treatment of patientsTactics of managing patients with anomalies ofTactics of managing patients with anomalies of the tactics of the tactics of the tactics of the treatment of patients			-				
Medical Care, Clinical Recommendatio ns on the provision of medical care, etc.)Medical Care, Recommendatio ns on the provision of medical care, etc.)Medical Care, retriant5PC-7PC-7 The ability to determine the tactics of tactics for the treatment of patientsTactics of managing patients with anomalies ofTo determine managing patients with anomalies ofTactics of managing patients with anomalies of the treatment of patients			,				
Clinical Recommendatio ns provision etc.)Clinical Recommendatio ns on the provision of medical care, etc.)Clinical Recommendatio ns on the provision of medical care, etc.)ID-1PC-7Rationale for the choice of tactics for the tactics of the tactics of the treatment of patientsTactics of managing patients with anomalies ofTo determine managing patients with anomalies of							
Recommendatio ns provision etc.)Recommendatio ns on the provision of medical care, etc.)Recommendatio ns provision of medical care, etc.)Recommendatio ns provision of medical care, etc.)Recommendatio ns provision of medical care, etc.)Recommendatio ns provision of to determine tactics for the tactics for the treatment of patientsRecommendatio ns provisionRecommendatio ns provision tactics of managing patients with anomalies ofRecommendation patients5PC-7PC-7 The ability to determine tactics for the tactics for the treatment of patientsTactics of managing patients with anomalies ofTactics of managing patients with anomalies of the tactics of the managing			· · · · · · · · · · · · · · · · · · ·				
nsonthe provisionnsonthe provisionof medical care, etc.)nsonthe the the thensonthe the thensonthe t							
provision of medical care, etc.)provision of medical care, medical care, etc.)provision of medical care, medical care, etc.)provision of medical care, etc.)provision of medical care, etc.)provision of medical care, etc.)provision of medical care, etc.)provision of medical care, etc.)provision of medical care, <th></th> <th></th> <th>Recommendatio</th> <th></th> <th></th> <th></th> <th></th>			Recommendatio				
5PC-7PC-7ID-1PC-7Rationale for the choice of tactics for the treatment of patientsTactics of 			ns on the				
etc.)etc.)ID-1PC-7RationaleTactics of managingTo determine the tactics of managingTactics of managing5PC-7PC-7ID-1PC-7Rationale for the choice of tactics for the tactics of treatment of patientsTactics of managing patients with anomalies ofTo determine managing patients with anomalies ofTo determine managing patients with anomalies of			provision of				
5PC-7PC-7ID-1PC-7Rationale for the choice of tactics for the tactics of the tactics of patients with anomalies ofTo determine managing patients with patients with anomalies ofTactics of managing patients with anomalies of			medical care,				
5PC-7PC-7ID-1PC-7Rationale for the choice of tactics for the tactics of the tactics of patients with anomalies ofTo determine managing patients with patients with anomalies ofTactics of managing patients with anomalies of			etc.)				
The ability to for the choice of determine the tactics for the tactics of tactics for the tactics of tactics of treatment of patients with anomalies of the tactics of the anomalies of the tactics of tactics of tactics of tactics of the tactics of tactic							
The ability to for the choice of determine the tactics for the tactics of tactics for the tactics of tactics of treatment of patients with anomalies of the tactics of the anomalies of the tactics of tactics of tactics of tactics of the tactics of tactic	5	PC-7	PC-7	ID-1PC-7Rationale	Tactics of	To determine	Tactics of
determinethetactics for thepatients withmanagingpatients withtacticsoftreatment of patientsanomalies ofpatients withanomalies of the			The ability to	for the choice of	managing	the tactics of	managing
tactics of treatment of patients anomalies of patients with anomalies of the			•			managing	
I I							anomalies of the
						-	
patients with the dentoalveolar dentoalveolar the system							
various dental system system. The dentoalveolar			-				5,50011
diseases in system system system system. The dentoarveolar				system	•		
				ID 2pc aVision of	-	-	
						a choice	
the Clinical options for changing devices for the				1 00			
Guidelines and treatment tactics in treatment of							
other regulatory the absence of anomalies of			•				
documents of positive dynamics the dentition,							
the Ministry of from classical the rules for			•				
Health of the treatment options their use,			Health of the	treatment options	their use,		

Russian	indications	
Federation on	and	
an outpatient	contraindicati	
basis and in a	ons for their	
day hospital,	use.	
taking into		
account the age		
of the patient.		
The ability to		
determine the		
tactics of		
managing		
patients with		
various dental		
diseases.		

# 4.Volume of academic discipline and types of academic work Total labor intensity of the discipline is \_\_\_\_\_ CU (\_\_\_AH)

Type of educational work	Labor i	ntensity	Lab	or intensity by
	volume in	volume in	sen	nesters (ACH)
	credit units	academic	10	
	(CU)	hours (AH)		
Classroom work, including	1.2	44	44	
Lectures (L)	0.3	10	10	
Laboratory practicum (LP)				
Practicals (P)				
Clinical Practice (CP)	0.9	34	34	
Seminars (S)				
Student Individual Work (SIW)	0.8	28	28	
Student research work				
Intermediate certification				
Credit/exam (specify of type)				
TOTAL LABOR INTENSITY	2	72	72	

## 5. Sections of the academic discipline and competencies that are formed

N⁰	Compete nce code	Section name of the discipline	The content of the section in didactic units
1	UC-1, PC-6	Examination of a patient with anomalies of the dentition	Classification of anomalies of the dentoalveolar system. Basic and additional methods of examination of patients with anomalies of the dentoalveolar system.
2	UC-1, PC-1, PC-2, PC-6,	Devices used for the prevention and treatment of anomalies	Classification of orthodontic appliances. Devices of mechanical, functional and combined action. Therapeutic, prophylactic and retention devices. The design of devices, indications for their use, manufacturing steps and methods of

PC-7.	activation.	