Federal State Budgetary Educational Institution of Higher Education
"Privolzhsky Research Medical University"
Ministry of Health of the Russian Federation

BANK OF ASSESSMENT TOOLS FOR DISCIPLINE «HISTOLOGY, EMBRYOLOGY, CYTOLOGY»

Training program (specialty): 31.05.01 GENERAL MEDICINE

Department: HISTOLOGY WITH CYTOLOGY AND EMBRYOLOGY

Mode of study **FULL-TIME**

Nizhniy Novgorod 202

1. Bank of assessment tools for the current monitoring of academic performance, midterm assessment of students in the discipline "Histology, embryology, cytology"

This Bank of Assessment Tools (BAT) for the discipline "Histology, embryology, cytology" is an integral appendix to the working program of the discipline ""Histology, embryology, cytology". All the details of the approval submitted in the WPD for this discipline apply to this BAT.

(Banks of assessment tools allow us to evaluate the achievement of the planned results stated in the educational program.

Assessment tools are a bank of control tasks, as well as a description of forms and procedures designed to determine the quality of mastering study material by students.)

2. List of assessment tools

The following assessment tools are used to determine the quality of mastering the academic material by students in the discipline/ practice:

No.	Assessment tool	Brief description of the assessment tool	Presentation of the assessment tool in the BAT
	Test № 1 section "Cytology and Human Embryology"	A system of standardized tasks that allows you to automate the procedure of measuring the level of knowledge and skills of a student	Bank of test tasks
1	Test № 2 section "General histology"		
	Test № 3 section "Special histology - 1"		
	Test № 4 section "Special histology - 2"		
2	Individual survey	A control tool that allows you to assess the degree of comprehension of the material	List of questions
3	Diagnostics of histological preparations obtained light microscopy	A tool of verifying the ability to present the study material on a topic, section or sections of a discipline, organized as a practice class in the form of an interview between a teacher and students.	Histological preparations on topics/sections of the discipline
4	Electron (protocols) workbook	A didactic complex designed for independent work of the student and allowing to assess the level of mastering study materials	Workbook sample
5	Diagnosis of electron micrographs of histological structures	A tool of verifying the ability to present the study material on a topic, section or sections of a discipline, organized as a practice class in the form of an interview between a teacher and students.	Electron micrographs of histological structures on topics/sections of the discipline
6	Interview	A tool of control organized as a special conversation between the teacher and the student on topics related to the discipline being studied, and designed to clarify the amount of knowledge of the student on a specific section, topic, problem, etc.	Questions on topics/sections of the discipline

3. A list of competencies indicating the stages of their formation in the process of mastering the educational program and the types of evaluation tools

Code and formulation of competence*	Stage of competence formation	Controlled sections of the discipline	Assessment tools
UC-1 Able to carry out a critical analysis of problem situations based on a systematic approach, develop an action strategy GPC-5 Able to assess morphofunctional, physiological conditions and pathological processes in the human body to solve professional problems GPC-10 Able to understand the principles of modern information technologies and use them to solve the tasks of professional activity	Current control	Section 1 "Cytology and Human Embryology"	Computer testing (the variant is formed by the method of random sampling); Individual survey; Diagnostics of histological preparations obtained light microscopy; Diagnosis of electron micrographs of histological structures;
UC-1 Able to carry out a critical analysis of problem situations based on a systematic approach, develop an action strategy GPC-5 Able to assess morphofunctional, physiological conditions and pathological processes in the human body to solve professional problems GPC-10 Able to understand the principles of modern information technologies and use them to solve the tasks of professional activity	Current control	Section 2 "General histology"	Computer testing (the variant is formed by the method of random sampling); Individual survey; Diagnostics of histological preparations obtained light microscopy; Diagnosis of electron micrographs of histological structures;
UC-1 Able to carry out a critical analysis of problem situations based on a systematic approach, develop an action strategy GPC-5 Able to assess morphofunctional, physiological conditions and	Current control	Section 3 "Special histology - 1"	Computer testing (the variant is formed by the method of random sampling); Individual survey; Diagnostics of histological preparations obtained light microscopy; Diagnosis of electron

	Г		
pathological processes in the human body to solve professional problems GPC-10 Able to understand the principles of modern information technologies and use them to solve the tasks of professional activity UC-1 Able to carry out a critical analysis of problem situations based on a systematic approach,	Current	Section 4 "Special histology - 2"	Computer testing (the variant is formed by the method of random sampling);
develop an action strategy GPC-5 Able to assess morphofunctional,			Individual survey; Diagnostics of histological preparations obtained light microscopy;
physiological conditions and pathological processes in the human body to solve professional			Diagnosis of electron micrographs of histological structures;
problems			
GPC-10			
Able to understand the			
principles of modern			
information technologies and use them to solve the			
tasks of professional activity			
,	Mid-term	Section 1 "Cytology and Human	Computer testing (the variant is formed by the
		Embryology"	method of random
UC-1		Section 2 "General histology"	sampling); Diagnostics of histological
GPC-5 GPC-10		Section 3 "Special histology - 1"	preparations obtained light microscopy;
		Section 4 "Special histology - 2"	Diagnosis of electron micrographs of histological
			structures;
			Interview.

^{*-} not provided for postgraduate programs

4. THE CONTENT OF THE ASSESSMENT TOOLS OF ENTRY, CURRENT CONTROL

Current control is carried out by the discipline teacher when conducting classes in the form of: assessment tool 1, assessment tool 2, assessment tool 3, assessment tool 4, assessment tool 5.

Assessment tool 1 "Cytology and Human Embryology"

- 1) Test tasks
- 2) Individual survey
- 3) Histological preparations on topics/sections of the discipline
- 4) Workbook sample
- 5) Electron microphotographs of histological structures by topics/sections of the discipline Assessment tool 2 "General histology"
- 1) Test tasks

- 2) Individual survey
- 3) Histological preparations on topics/sections of the discipline
- 4) Workbook sample
- 5) Electron microphotographs of histological structures by topics/sections of the discipline Assessment tool 3 "Special histology 1"
- 1) Test tasks
- 2) Individual survey
- 3) Histological preparations on topics/sections of the discipline
- 4) Workbook sample
- 5) Electron microphotographs of histological structures by topics/sections of the discipline Assessment tool 4 "Special histology 2"
- 1) Test tasks
- 2) Individual survey
- 3) Histological preparations on topics/sections of the discipline
- 4) Workbook sample
- 5) Electron microphotographs of histological structures by topics/sections of the discipline

4.1. Tasks for the assessment of competence: UC-1, GPC-5, GPC-10

The bank of assessment tools for conducting current control of students is presented on the Educational Portal of the PRIMUM:

Test № 1	https://sdo.pimunn.net/mod/quiz/view.php?id=154635
Test № 2	https://sdo.pimunn.net/mod/quiz/view.php?id=154729
Test № 3	https://sdo.pimunn.net/mod/quiz/view.php?id=156751
Test № 4	https://sdo.pimunn.net/mod/quiz/view.php?id=157077

4.2. Individual survey for the assessment of competence: UC-1, GPC-5, GPC-10

Section 1 "Cytology and Human Embryology"

- 1) Subject and objectives of the course of histology with cytology and embryology. Significance for medicine. Levels of organization of the human body. Methods of histological examination.
- 2) Protoplasm. Cell. Intercellular substance. Cytoplasm. Organelles, inclusions, hyaloplasm.
- 3) Biological membrane. Cell membrane, structure and significance. Microvilli. Cilia. Intercellular connections. Organelles, classification, structure, meaning. Inclusions, classification, structure, meaning.
- 4) Cell nucleus compartments. Chromatin: euchromatin, heterochromatin, differences in appearance and function, chromosomes. Nuclear envelope: structural and functional characteristics. Nuclear skeleton. Nuclear pores. Nucleolus: composition and function
- 5) Cell cycle: sequence and significance. Mitosis: phases and results.
- 6) Fertilization and its results. Cleavage and its results. Gastrulation: phases and results.
- 7) The basic germs of embryo and their derivatives
- 8) Histogenesis and organogenesis and their results

Section 2 "General histology"

- 1) Classification of epithelia. The basement membrane. Intercellular junctions of epithelial cells.
- 2) Classification of connective tissues, criteria for differentiation. Cell composition of the connective tissues proper. Fibroblasts, macrophages, adipose cells, mast cells, plasma cells, adventitial cells structural and functional characteristics
- 3) Red blood cells: morphological and functional characteristics, structural variants, life span. Platelets: morphological and functional characteristics, life span. White blood cells: classification, morphological and functional characteristics of varieties, life span. A complete blood count (CBC).
- 4) Reticular tissue: morphological and functional characteristics, localization in the human body.
- 5) Types of adipose tissue, especially their structure, function, localization.
- 6) General characteristics and features of hyaline, elastic and fibrous cartilage. Origin, composition and role of intercellular substance of cartilage tissue. Features of the structure of mature and young cartilage tissue. Structure and function of the perichondrium. Growth and regeneration of cartilage.

- 7) General characteristics and features of lamellar and nonlamellar bone tissue. Bone cells, their varieties and origin. The structure and functions of osteoblasts and osteocytes. Features of the structure and function of osteoclast. The concept of osteon. Structure and function of the periosteum.
- 8) Classification of muscle tissue. The structure of striated muscle fiber. The concept of symplast. Structural organization of the sarcomere. The structure of cardiac muscle tissue. Structural features of a typical cardiomyocyte. Features of the structure and function of smooth muscle tissue. Structural features of a smooth myocyte.
- 9) Structural elements of nervous tissue. Fundamental features of the structure and function of nervo cells. Classification of neurons. Neuroglia cells, their classification and functions.

Section 3 "Special histology - 1"

- 1) General classification of vessels. Features of the structure and functioning of different types of blood vessels. Features of the structure of the lymphatic vessels. Vessels of the microcirculatory bed, their role in the blood supply to organs.
- 2) Arteries and veins. The main types and features of their structure. Tissue and cellular composition of different types of vessels.
- 3) A heart. Sources of development. Endocardial and epicardia layers. Membranes, tissue and cellular composition, fibrous skeleton of the heart. Valves. Types of cardiomyocytes. Conductive (generating) system.
- 4) Red bone marrow. Source of development and General morphofunctional characteristics. Localization. The composition of the tissue, stroma, blood vessels. Structure of the red bone marrow and characteristics of postembryonic hematopoiesis in it. Compartments of myeloid hematopoiesis. CFU.
- 5) Thymus. Structure and functional significance. Differentiation of T-lymphocytes and hematothymus barrier. Thymic corpuscles. Endocrine function of the thymus.
- 6) The lymph node. Structure and functional significance. Participation in the formation of T and B-lymphocytes. Sinuses of the lymph node. Main structural and functional parts and types of lymph nodes.
- 7) The spleen. Structure and functional significance. T and B-zones. Blood supply: features and role in ensuring the function of the spleen.
- 8) Classification of lymphocytes. Participation in the formation of T- and B-lymphocytes. Sinuses of the lymph node.
- 9) Tooth tissues. Development of dentin. Histogenesis of enamel. Tongue: layers, papillae, organ of taste, minor salivary glands.
- 10) A ring of lymphatic tissue at the entrance of the oropharynx. The structure of the palatine tonsil.
- 11) The esophagus: the structure of the wall, its features throughout the organ and in the terminal part of the esophagus transition to the stomach.
- 12) The stomach. General morpho-functional characteristics. Features of the structure of different portions. Gastric epithelium: structure and function. Cancer of the stomach: types, structure, cellular composition, function.
- 13) Small intestine wall: layers, intestinal villi and crypts. Cell composition and histophysiology of the intestinal epithelium. The digestion and absorption of nutrients. Tissue and cellular composition. Peyer's patches.
- 14) Large intestine: layers, their tissue and cells. The structure of the colon.
- 15) Appendix. Layers, tissues and cellular compositions. The features and function of the organ
- 16) Salivary glands. Major salivary glands. The principles of the structure. The similarity and structural features of various salivary glands. Histop-hysiological characteristics of the cellular composition of acini and excretory ducts.
- 17) Pancreas. General plan of the structure. Exocrine part: acinus, excretory ducts, enzymes. Endocrine part: histo-physiological characteristics of the islets of Langerhans, hormones.
- 18) Liver. The principles of the structure. The similarity and structural features of various liver.
- 19) Gallbladder. General plan of the structure. The functions and importance of the organ.
- 20) Pituitary gland: structure. Role in the endocrine system. The connection of the pituitary gland with the hypothalamus.

- 21) The thyroid gland. Structure: tissue and cellular composition, follicular and parafollicular cells.
- 22) The adrenal glands. Structural and functional features of the parts and zones distinguished in the organ. The cellular structure of the cortex and medulla.
- 23) General characteristics of the urinary system. Kidney. Nephron and urine formation. Juxtaglomerular apparatus. Excretory passages of the urinary system: ureter, urinary bladder, urethra.
- 24) Testes: structure and functions. Genital ducts and accessory glands of the male reproductive system. Epididymis, seminal vesicles, prostate.
- 25) Ovary. Oogenesis and endocrine function. Follicles, their varieties and derivatives. The structure of a mature follicle. Follicle atresia, atretic body, structure and importance. Ovulation.
- 26) Uterus: the structure of the wall. Tissue and cellular composition. Features of the structure and function of the cervix. Intra-organ vessels.
- 27) The mammary gland. Tissue and cellular composition. Morphological features of "active" and "resting" mammary glands.
- 28) Placenta. The sources of its formation and the main parts and functions. Tissue and cell composition. The placental barrier. Decidual cells. Fibrinoid.

4.3. Histological preparations by topics/sections of the discipline "Histology, embryology, cytology": UC-1, GPC-5, GPC-10

Section 1 "Cytology and Human Embryology"

- 1. Preparation 18. Multipolar nerve cell (cross section of the spinal cord)
- 2. Preparation 7. Multinucleated protoplasm (striated muscle fibers of the tongue)
- 3. Preparation 8. Intercellular substance of elastic cartilage (cross section of the auricle)
- 4. Preparation 14. Lipid inclusions in hepatocytes
- 5. Preparation 15. Glycogen particles in hepatocytes
- 6. Preparation 16. Secretory granules in skin cells
- 7. Preparation 17. Pigment granules
- 8. Preparation 22. Interphase nucleus
- 9. Preparation 27. Mitosis (in the onion root cells)

Section 2 "General histology"

- 1. Preparation 39(dem). Primitive streak
- 2. Preparation 40. Original derivatives of germ layers
- 3. Preparation 41. The latest gastrula
- 4. Preparation 42(dem). Segmentation of medial mesoderm to somites and brain vesicles formation (total preparation of bird embryo)
- 5. Preparation 139. Simple Squamous and Simple Columnar epithelia
- 6. Preparation 44. Simple Cuboidal epithelium
- 7. Preparation 47. Pseudostratified columnar ciliated epithelium
- 8. Preparation 48. Stratified Squamous nonkeratinized epithelium
- 9. Preparation 50. Transitional epithelium
- 10. Preparation 54(dem). Mesenchyme
- 11. Preparation 24. Blood smear
- 12. Preparation 64(dem). Reticular tissue
- 13. Preparation 60. Loose connective tissue
- 14. Preparation 58. Dense regular connective tissue (transection of tendon)
- 15. Preparation 62. White adipose tissue
- 16. Preparation 65. Hyaline cartilage
- 17. Preparation 8. Elastic cartilage
- 18. Preparation 66(dem). Fibrous cartilage
- 19. Preparation 68. Lamellar bone tissue
- 20. Preparation 69. Intramembranous bone formation
- 21. Preparation 70. Endochondral bone formation
- 22. Preparation 71. Smooth muscle tissue
- 23. Preparation 72. Skeletal muscle tissue

- 24. Preparation 73. Cardiac muscle tissue
- 25. Preparation 18(dem). Multipolar neuron
- 26. Preparation 74. Pseudounipolar neuron
- 27. Preparation 78(dem). Unmyelinated nerve fibers (isolated)
- 28. Preparation 79. Myelinated nerve fibers (isolated)


Section 3 "Special histology - 1"

- 1. Preparation 100. Microcirculatory bed
- 2. Preparation 101. Muscular artery
- 3. Preparation 102. Muscular vein
- 4. Preparation 103. Elastic artery
- 5. Preparation 106. Heart wall
- 6. Preparation 111. Red bone marrow (smear)
- 7. Preparation 162. Thymus
- 8. Preparation 108. Lymph node
- 9. Preparation 109. Spleen
- 10. Preparation 134. Tooth development early stage
- 11. Preparation 135. Tooth development late stage
- 12. Preparation 128. Tongue (sagittal section of the anterior part)
- 13. Preparation 131. Palatine tonsil
- 14. Preparation 136. Esophagus
- 15. Preparation 138. Stomach (fundic region)
- 16. Preparation 141. Duodenum
- 17. Preparation 143. Jejunum
- 18. Preparation 144. Large intestine
- 19. Preparation 145. Appendix
- 20. Preparation 146. Parotid gland
- 21. Preparation 147. Submandibular gland
- 22. Preparation 148. Pancreas
- 23. Preparation 150. Human liver
- 24. Preparation 149. Gallbladder

Section 4 "Special histology - 2"

- 1. Preparation 159. Pituitary gland (Hypophysis)
- 2. Preparation 160. Thyroid gland
- 3. Preparation 163. Suprarenal gland (Adrenal gland)
- 4. Preparation 165. Kidney
- 5. Preparation 168. Urinary bladder
- 6. Preparation 169. Testis
- 7. Preparation 170. Epididymis
- 8. Preparation 172. Prostate
- 9. Preparation 173. Ovary
- 10. Preparation 175. Uterus
- 11. Preparation 179. Mammary gland
- 12. Preparation 177. Maternal portion of placenta
- 13. Preparation 178. Fetal portion of placenta

4.4. Workbook sample on topics/sections of the discipline "Histology, embryology, cytology": UC-1, GPC-5, GPC-10



4.5. Electron microphotographs of histological structures by topics/sections of the discipline "Histology, embryology, cytology": UC-1, GPC-5, GPC-10

	pline "Histology, embryology, cytology": UC-1, GPC-5, GPC-10
	Cell membrane and a glycocalyx (electron micrograph x 200,000)
2.	Electron micrograph of agranular (or smooth) endoplasmic reticulum (1) and granular (or rough)
	endoplasmic reticulum (2)
3.	Electron micrograph (x 200,000) of a mitochondrion (1) with the cristae (C)
3.	2 – granular (or rough) endoplasmic reticulum
4.	Lysosomes (A – electron micrograph x 27,000; B – electron micrograph x 60,000)
5.	Golgi apparatus(electron micrograph x 55,000)
6.	Microtubules in longitudinal profile
7.	Parent and daughter centrioles in a fibroblast (electron micrograph x 90,000)
8.	Cytoplasmic inclusions and organelles of a hepatocyte (electron micrograph x 17000)
9.	Intercellular junctions
10.	Microvilli with glycocalyx on the apical surface of an absorptive cell (electron micrograph x 100,000)
	Cilia of epithelial cell
11.	A. Longitudinal section of the apical part of a cell (electron micrograph x 36,000)
	B. Cross sections of cilia (electron micrograph x 88,000)
17	Numerous pinocytotic vesicles (arrows) withing the cytoplasm of simple squamouse epithelium
	(endothelium) of a blood vessel (electron micrograph x 60,000)
	Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been
13.	injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x
	11,600)
	Cell nucleus (electron micrograph x 16,762)
	Nuclear (or fibrous) laminaof an ovocyte(scanning electron micrograph x16,762)
	Metaphase of mitosis in mammary gland cell (electron micrograph x 15,000)
	Telophase of mitosis in a spermatogonium demonstrating the forming midbody or cytokinesis
	Spermatozoon
	a). Head (longitudinal section, electron micrograph x 14,000)
	b) Neck, middle piece and principal piece (longitudinal section, electron micrograph x 17,000)
	c) Middle piece (cross section, electron micrograph x 48,000)
	Primordial ovarian follicle (electron micrograph x 6,200)
	Fertilization (scanning electron micrograph x 5,700)
· , ı	Numerous pinocytotic vesicles (arrows) withing the cytoplasm of the simple squamouse epithelium
	(endothelium) of a blood vessel (electron micrograph x60,000)
,,	Simple columnar epithelium (absorptive cells and goblet cell in the intestinal epithelium).
	Electron micrograph x6,0000
	Pseudostratified (respiratory) epithelium
	A. Three main cell types of the respiratory epithelium (electron micrograph x 1,800)
	B. Luminal surface of the trachea (scanning electron micrograph x 1,200)
	Active macrophage obtained from the peritoneum of a rat which had previously been injected with latex
24.	particles; a number of particles have been engulfed by the cell (electron micrograph x11,600)
25.	

27.	Plasma cell (electron micrograph x10,000)
	Adipocytes (fat cells)
28.	a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation
	b. Adipocyte of brown fat (multilocular fat cell)
	Erythrocytes and thrombocytes of blood (light and electron micrographs)
	a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x1,200)
29.	b) Erythrocytes (electron micrograph x16000):
	c) Thrombocytes among erythrocytes (Giemsa x1,600)
	d) Thrombocytes (electron micrograph x22,500):
30.	Leukocytes of blood (scheme of the ultrastructural organization)
31.	Young chondrocyte (electron micrograph x16,000)
32.	Osteogenic cells (electron micrograph x2,500)
33.	The different functional states of an osteocyte (electron micrograph x25,000)
34.	Electron micrograph of an osteoclast
35.	Skeletal muscle fiber (electron micrograph x33,000)
36.	Interrelations between thin and thick myofilaments (electron micrograph x900,000)
37.	Intercalated disc between cardiac myocytes (electron micrograph x31,000)
38.	Smooth myocyte in cross section (electron micrograph x 34,000)
39.	Unmyelinated nerve fibers
40.	Myelinated nerve fibers
41.	A. Splenic sinus and cords of reticular cells (scanning electron micrograph x 4,400)
	B. Splenic sinus (scanning electron micrograph x 5,300)
42.	Corneal stroma (electron micrograph x 16,700)
	Photoreceptor cells of the retina
43.	a. Portion of the inner and outer segments of rod-cell of the retina (electron micrograph x 32,000)
	b. Portion of the inner and outer segments of cone-cell of the retina (electron micrograph x 32,000)
1	Hair cells of the organ of Corti
44.	A. Stereocilia on the apical surfaces of the cochlear hair cells (scanning electrone micrograph x 3,250)
4.5	B. Outer hair cells (transmission electron micrograph x 6,300)
45.	Intercalated disc between cardiac myocytes (electron micrograph x 31,000)
46.	Comatic or continuous hemocapillary (electron micrograph x 12,000) Pericytes on the outer surface of hemocapillary (scanning electrone micrograph x 5,000)
47.	
	Sinusoidal capillary of the liver (electron micrograph)
48.	Hassall's corpuscle (electron micrograph x 5000)
49.	 A. Splenic sinus and cords of reticular cells (scanning electron micrograph x 4,400) B. Splenic sinus (scanning electron micrograph x 5,300)
50	
50.	Thyroid follicle (electron micrograph x 6,800)
	Odontoblast and dentin in the developing tooth
51.	A. Odontoblast layer is identified by a brace; dentinal tubules are indicated by arrows (electron
	micrograph x 3,416) P. Cytoplognia process of a young adoptablest (electron micrograph x 34,000)
52	B. Cytoplasmic process of a young odontoblast (electron micrograph x 34,000)
52. 53.	Structure of young enamel (electron micrograph x 60,000 Taste bud. (Diagram) Electron micrograph. × 17500
54.	Surface-lining cell from the body of a stomach (electron micrograph x 11632)
55.	Chief cell withing a fundic gland of stomach (electron micrograph x 11837)
56.	Parietal cell withing a fundic gland of stomach (electron micrograph x 9600)
57.	Mucous neck cell withing a fundic gland of stomach (electron micrograph x 1000)
58.	Enteroendocrine cell within a fundic gland of stomach (electron micrograph x 11000)
59.	Small intestine enterocytes A. (Electronic micrograph x 4540) B. (Electronic micrograph x 22000)
60.	Part of the pancreatic acinus (Electronic micrograph x 8500)
61	Human liver tissue (electron micrograph)
61. 62.	Human liver tissue (electron micrograph) Gallbladder epithelium (electron micrograph x 29,000)
61. 62.	Gallbladder epithelium (electron micrograph x 29,000)
	Gallbladder epithelium (electron micrograph x 29,000) Bile and sinusoidal capillaries of a liver (electron micrograph)
62.	Gallbladder epithelium (electron micrograph x 29,000) Bile and sinusoidal capillaries of a liver (electron micrograph) A. Low-power scanning electron micrograph from a liver showing a sinusoid (asterisk) and bile
	Gallbladder epithelium (electron micrograph x 29,000) Bile and sinusoidal capillaries of a liver (electron micrograph)

64.	Renal corpuscle
65.	Convoluted tubules of a nephron
66.	Juxtaglomerular apparatus
67.	Sperm (electron micrograph)
68.	Seminiferious epithelium (electron micrograph)
69.	Junctional complexes between adjacent Sertoli cells (electron micrograph)
70.	Leydig cells (electron micrograph)
71.	Primordial ovarian follicle
72.	Oviduct epithelium
73.	Lactating mammary gland
74.	Fertilization (scanning electrone micrograph x 5,700)
75.	Placental barrier (electron micrograph x 45000)

5. THE CONTENT OF THE ASSESSMENT TOOLS OF MID-TERM ASSESSMENT Mid-term assessment is carried out in the **form of exam**.

The bank of assessment tools for mid-term of students is presented on the Educational Portal of the PRIMUM: https://sdo.pimunn.net/mod/quiz/view.php?id=2673

5.1. The list of control tasks and other materials necessary for the assessment of knowledge, skills and work experience

Test tasks

Test tasks	Competence code (according to the WPD)
 THE SPECIFIC TERM TO SIGN SO-CALLED ABILITY "ACIDE-LOVING": acidophilia chromophilia chromophobia basophilia neutrophilia 	UC-1, GPC-5, GPC-10
 THE SPECIFIC TERM TO SIGN WEAK AFFINITY FOR BOTH ACID AND BASIC DYES: acidophilia chromophilia chromophobia basophilia neutrophilia 	
 CONSTANT ESSENTIAL CYTOPLASMIC PARTICLES: organelles inclusion fibrils cisternae granules 	
 4. NONMEMBRANOUSE ORGANELLES: 1) ribosomes 2) microtubules 3) cytoplasmic filaments 4) centrosome 5) lisosomes 	

5. CELL ORGANELLE, RESPONSIBLE FOR MACROERGIC MOLECULES SYNTHESIS:	
granular endoplasmic reticulum	
2) lisosomes	
3) mitochondrion	
4) ribosomes	
5) agranular endoplasmic reticulum	
3) agranulai endopiasime reticulum	
6. CYTOPLASMIC INCLUSION THAT HAS ITS OWN COLOR:	
1) secretory	
2) excretory	
3) trophic	
4) pigment	
5) metabolic	
7. TYPES OF NUCLEAR CHROMATIN:	
1) euchromatin	
2) heterochromatin	
3) sex chromatin	
4) basophilic substance	
5) chromatophilic substance	
8. DOUBLE SET OF CHROMOSOMES (IN HUMANS 46):	
1) haploid	
2) diploid	
3) tetraploid	
4) polyploid	
5) triploid	
5) triploid	
9. PERIOD OF THE CELL LIFE, INCLUDING INTERPHASE AND MITOSIS:	
1) cell cycle	
2) biological cycle	
3) determination	
4) differentiation	
5) regeneration	
3) regeneration	
10. PERIODS OF INTERPHASE:	
1) G1-period (postmitotic, presynthetic)	
2) M-period	
3) G2-period (premitotic, postsynthetic)	
4) S-period (synthetic)	
5) X period	
11. STRUCTURE CONNECTING EPITHELIUM TO CONNECTIVE	
TISSUE:	
1) basement membrane	
2) cytolemma	
3) plasma membrane	
4) amorphous substance	
5) glycocalyx	
12 TYPES OF COVERING EDITIES IA DV NUMBER OF LAVERS	
12. TYPES OF COVERING EPITHELIA BY NUMBER OF LAYERS:	
1) simple	
2) pseudostratified	
3) intermediate	
4) stratified 5) transitional	
5) transitional	

13. VARIETIES OF STRATIFIED SQUAMOUS EPITHELIUM: 1) nonkeratinized 2) transitional 3) pseudostratified 4) desquamated 5) keratinized 14. TYPES OF CONNECTIVE TISSUE PROPER DEPENDING ON THE PREDOMINANCE OF FIBERS OR AMORPHOUS MATERIALS: 1) loose 2) dense 3) regular 4) irregular 5) fibrous 15. THE MAIN TYPE OF CELLS OF LOOSE CONNECTIVE TISSUE, SYNTHESIZING ITS INTERCELLULAR MATRIX: 1) plasma cells 2) macrophages 3) adventitial cells 4) fibroblasts 5) mast cells 16. BLOOD CELL - PRECURSOR TO MACROPHAGE: 1) lymphocyte 2) monocyte 3) neutrophil 4) the eosinophil 5) basophil 17. RESIDENT CONNECTIVE TISSUE CELLS THAT PRODUCE HISTAMINE AND HEPARIN: 1) plasma cells 2) macrophages adventitial cells 4) fibroblasts 5) mast cells 18. RESIDENT CONNECTIVE TISSUE CELLS (EFFECTOR IMMUNOCYTES) DERIVED FROM B-LYMPHOCYTES: 1) adventitial cells 2) macrophages 3) plasma cells 4) fibroblasts 5) mast cells 19. THE MAIN TYPES OF CONNECTIVE TISSUE FIBERS: 1) collagen 2) reticular 3) elastic 4) ossein 5) fibrin 20. MAIN GROUPS OF FORMED ELEMENTS OF BLOOD: 1) red blood cells 2) leukocytes 3) reticulocytes 4) platelets 5) lymphocytes

21. THE TYPES OF WBC DEPENDING ON THE PRESENCE OR ABSENCE OF SPECIFIC GRANULES: 1) granulocytes 2) agranulocytes 3) neutrophilic 4) basophilic 5) eosinophilic	
22. MAIN TYPES OF ADIPOSE TISSUE: 1) white 2) yellow 3) red 4) subcutaneous 5) brown	
 23. ALTERNATIVE TYPES OF MUSCLE TISSUE BASED ON OPTICAL HOMOGENEITY OF THEIR CYTOPLASM: 1) contractile 2) smooth 3) striated 4) cardiac 5) visceral 	
24. MAJOR PROTEIN FILAMENTS OF MYOFIBRILS: 1) actin 2) myosin 3) tropomiozin 4) troponin 5) intercalated	
25. PARTS OF THE NEURON CAN FORM SYNAPTIC CONTACTS: 1) axon 2) dendrite 3) neuron body 4) spines 5) nucleus	
26. LAYERS OF THE CORNEA: 1) anterior epithelium 2) anterior limiting membrane 3) corneal stroma 4) posterior limiting membrane 5) posterior endothelium	
27. TUNICS OF THE MAIN BLOOD VESSELS: 1) serosa 2) intima 3) media 4) adventitia 5) mucosa	
28. CLASSIFICATION OF HEMOCAPILLARIES: 1) endothelial 2) somatic 3) fenestrated 4) sinusoidal 5) lymphatic	

1) 2) 3) 4)	TUNICS OF THE HEART WALL: pericardium endocardium myocardium epicardium conducting system	
1) 2) 3) 4)	MUCOSAL LAYERS OF THE ESOPHAGUS: epithelial subepithelial lamina propria muscular plate glandular	
1) 2) 3)	TUNICS OF THE STOMACH WALL: mucosa submucosa muscularis propria serosa	
1) 2) 3)	FINGER-LIKE PROJECTIONS OF THE INTESTINAL MUCOSA: villi crypts papillae wrinkles outgrowths	
1)	SIMPLE TUBULAR GLAND IN THE INTESTINAL MUCOSA: Pits crypts deepenings folds invaginations	
1) 2) 3) 4)	STRUCTURAL ELEMENTS OF THE INTESTINAL VILLI: intestinal epithelium loose connective tissue hemocapillaries lymphatic capillaries smooth myocytes	
1) 2) 3) 4)	THE INDICATIVE FEATURE OF THE DUODENAL SUBMUCOSA: nervous plexus glands blood vessels loose connective tissue lymphatic nodules	
1) 2) 3) 4)	INTRALOBULAR DUCTS OF THE PAROTID GLAND: intercalated duct striated duct convoluted straight collecting	
37.	CELLS OF TERMINAL DIVISIONS IN THE PAROTID SALIVARY GLANDS:	

1) serocytes	
2) mucocytes	
3) myoepithelial cells	
4) endocrine	
5) regenerative	
38. CELLS OF TERMINAL DIVISIONS IN MIXED SALIVARY	
GLANDS:	
1) serocytes	
2) mucocytes	
3) myoepithelial cells	
4) endocrine	
5) regenerative	
39. WALL OF THE BILE CANALICULUS:	
1) endothelium	
2) the basement membrane	
3) the pericytes	
4) hepatocytes	
5) epithelium	
40. CHARACTERISTIC TYPE OF THE HEPATIC HEMOCAPILLARIES:	
1) somatic	
2) fenestrated	
3) sinusoidal	
4) lymphatic	
5) bile	
41. HORMONE B-CELLS OF PANCREATIC ISLET:	
1) VIP-hormone	
2) PP-hormone	
3) insulin	
4) glucagon	
5) somatostatin	
42. THE MAIN COMPONENTS OF THE PANCREAS:	
1) acini	
2) duct system	
3) exocrine	
4) endocrine5) islets	
3) islets	
43. ENDOCRINE CELLS OF THE ISLET OF LANGERHANS:	
1) acinar cells	
2) myoepithelial	
3) epithelial	
4) serocytes 5) inculocytes	
5) insulocytes	
44. THE CENTRAL ORGANS OF THE ENDOCRINE SYSTEM:	
1) thyroid gland	
2) hypothalamus	
3) hypophisis	
4) pineal gland	
5) adrenal gland	

 46. DUCT SYSTEM OF THE KIDNEY: 1) proximal convoluted 2) loop of Henle 3) distal convoluted 4) collecting tubules 5) collecting ducts 	
 47. CELL DIFFERON OF THE SPERMATOGENIC EPITHELIUM: 1) spermatogonia 2) spermatocytes 1 3) spermatocytes 2 4) spermatids 5) spermatozoa 	
48. STAGES OF MATURITY OF THE OVARIAN FOLLICLE: 1) atheretic 2) primordial 3) primary growing 4) secondary growing 5) tertiary (graafian)	
49. CELLS OF THE PRIMORDIAL FOLLICLE: 1) oocyte 2) fibroblasts 3) endocrine cells 4) follicular cells 5) granular cells	
50. AXIAL GERM OF CNS, SEPARATED FROM ECTODERM: 1) neural plate 2) nerve groove 3) neural tube 4) neural crest 5) ganglionic plate	

Test task	No. of response	Test task	No. of response	Test task	No. of response
number	template	number	template	number	template
1	1	18	3	35	2
2	5	19	1, 2, 3	36	3
3	1	20	1, 2, 4	37	1, 2
4	1, 2, 3, 4	21	1, 2	38	1, 3
5	3	22	1, 5	39	1, 2, 3
6	4	23	2, 3	40	4
7	1, 2	24	1, 2	41	3
8	2	25	1, 2, 3	42	3
9	1	26	1, 2, 3, 4, 5	43	3, 4
10	1, 3, 4	27	2, 3, 4	44	5
11	1	28	2, 3, 4	45	2, 3, 4
12	1, 4	29	2, 3, 4	46	1, 2, 3, 4, 5
13	1, 5	30	1, 3, 4	47	1, 2, 3, 4, 5
14	1, 2	31	1, 2, 3, 5	48	2, 3, 4, 5
15	4	32	1	49	1, 4
16	2	33	2	50	2, 3
17	5	34	1, 2, 3, 4, 5		

5.1.1. Questions for the discipline exam "Histology, embryology, cytology"

]		Competence
	Question	code (according to the WPD)
1.	Subject and objectives of the course of histology with cytology and embryology. Significance for medicine.	UC-1, GPC-5, GPC-10
2.	Protoplasm. Cell. Intercellular substance. Cytoplasm. Organelles, inclusions,	UC-1, GPC-5,
	hyaloplasm. Organelles, classification, structure, meaning. Inclusions, classification, structure, meaning	GPC-10
3.	Biological membrane. Cell membrane, structure and significance. Microvilli. Cilia. Intercellular connections	UC-1, GPC-5, GPC-10
4.	Cell nucleus compartments. Chromatin: euchromatin, heterochromatin,	UC-1, GPC-5,
	differences in appearance and function, chromosomes. Nuclear envelope: structural and functional characteristics	GPC-10
5.	Cell cycle: sequence and significance. Mitosis: phases and results	UC-1, GPC-5, GPC-10
6.	Fertilization and Gastrulation: phases and results. The basic germs of embryo and	UC-1, GPC-5,
	their derivatives. Histogenesis and organogenesis and their results d its results.	GPC-10
7.	General morphofunctional characteristics of epithelia. Classification of epithelia. The basement membrane. Intercellular junctions of epithelial cells	UC-1, GPC-5, GPC-10
8.	Classification of glands. Types of secretion. Epithelial regeneration.	UC-1, GPC-5,
0.	elassification of glands. Types of secretion Epitalenal regeneration.	GPC-10
9.	Classification of connective tissues, criteria for differentiation. Cell composition of	UC-1, GPC-5,
	the connective tissues proper. Fibroblasts, Macrophages - structural and functional characteristics	GPC-10
10.	Adipose cells, structural and functional characteristics.	UC-1, GPC-5, GPC-10
11.	Mast cells, Plasma cells, Adventitial cells - structural and functional characteristics.	UC-1, GPC-5, GPC-10
1.	General structural and functional characteristics of blood. General characteristics of blood cells. Red blood cells: morphological and functional characteristics, structural variants, life span. Platelets: morphological and functional characteristics, life span.	UC-1, GPC-5, GPC-10
2.	White blood cells: classification, morphological and functional characteristics of varieties, life span. A complete blood count (CBC). Blood plasma.	UC-1, GPC-5, GPC-10
3.	Reticular tissue: morphological and functional characteristics, localization in the human body	UC-1, GPC-5, GPC-10
4.	General concept and classification of cartilage tissue. Differentiation of the concepts "cartilage tissue" and "cartilage".	UC-1, GPC-5, GPC-10
5.	General characteristics and features of hyaline, elastic and fibrous cartilage. Origin,	UC-1, GPC-5,
	composition and role of intercellular substance of cartilage tissue. Features of the structure of mature and young cartilage tissue. Structure and function of the perichondrium. Growth and regeneration of cartilage.	GPC-10
6.	General concept and classification of bone tissue. Differentiation of the concepts "bone tissue" and "bone".	UC-1, GPC-5, GPC-10
7.	General characteristics and features of lamellar and nonlamellar bone tissue. Bone	UC-1, GPC-5,
	cells, their varieties and origin. The structure and functions of osteoblasts and osteocytes. Features of the structure and function of osteoclast. The concept of osteon. Origin, composition and role of extracellular matix of the bone tissue. Structure and function of the periostium	GPC-10
8.	General properties of muscle tissues. Differentiation of the concepts of "muscle tissue" and "muscle".	UC-1, GPC-5, GPC-10
9.	Classification of muscle tissue. The structure of striated muscle fiber. The concept of symplast. Structural organization of the sarcomere. The structure of cardiac muscle tissue. Structural features of a typical cardiomyocyte	UC-1, GPC-5, GPC-10
10.	Features of the structure and function of smooth muscle tissue. Structural features of a smooth myocyte.	UC-1, GPC-5, GPC-10
11.	The ability to regenerate different types of muscle tissue	UC-1, GPC-5, GPC-10
12.	Structural elements of nervous tissue. Fundamental features of the structure and	UC-1, GPC-5,

	function of nerve cells. Classification of neurons. Neuroglia cells, their classification and functions	GPC-10
13.	The tissue elements of the peripheral nervous system. Origination of the peripheral	UC-1, GPC-5,
	nervous system formations in embryogenesis.	GPC-10
14.	Nerves: organic composition. The tissue elements of the nerve trunk. Functional	UC-1, GPC-5,
	types of nerve fibers. Connective tissue stroma of the nerves.	GPC-10
15.	Craniospinal ganglia: structural and functional characteristics. The place and role of nerves and craniospinal ganglia in the sensory system.	UC-1, GPC-5, GPC-10
16.	Ability of the peripheral nervous system elements for regeneration	UC-1, GPC-5,
10.	Ability of the peripheral hervous system elements for regeneration	GPC-10
17.	General classification of vessels. Features of the structure and functioning of	UC-1, GPC-5,
	different types of blood vessels. Innervation. Features of the structure of the lymphatic vessels	GPC-10
18.	Vessels of the microcirculatory bed, their role in the blood supply to organs.	UC-1, GPC-5,
	Classification and histophysiological features of hemocapillaries and types of	GPC-10
	arterio-venular anastomoses. Features of their structure and meaning. Endothelium	
	of blood vessels, its structural and functional properties	
19.	Arteries and veins. The main types and features of their structure. Tissue and	UC-1, GPC-5,
	cellular composition of different types of vessels.	GPC-10
20.	A heart. Sources of development. Endocardial and epicardial layers. Membranes,	UC-1, GPC-5,
	tissue and cellular composition, fibrous skeleton of the heart. Valves. Types of	GPC-10
	cardiomyocytes. Conductive (generating) system. Endocrine properties of the heart	
21.	Skin. Classification. Structural and functional characteristics of parts and layers;	UC-1, GPC-5,
	features of their structure and blood supply.	GPC-10
22.	Respiratory organs. Airways. Nasal mucosa. Larynx, trachea. The lung.	UC-1, GPC-5,
	-	GPC-10
23.	Red bone marrow. Source of development and General morphofunctional	UC-1, GPC-5,
	characteristics. Localization. The composition of the tissue, stroma, blood vessels.	GPC-10
	Structure of the red bone marrow and characteristics of postembryonic	
	hematopoiesis in it. The compartments, colony-forming unit (CFU). The role of	
	stromal elements in hematopoiesis. Compartments of myeloid hematopoiesis. CFU.	
	Yellow bone marrow.	
24.	Thymus. Embryonic sources of development. Structure and functional significance.	UC-1, GPC-5,
	Differentiation of T-lymphocytes and hemato-thymus barrier. Thymic corpuscles.	GPC-10
	Endocrine function of the thymus. Age and accidental involution.	
25.	Organs and tissues of the immune system. Classification of lymphocytes. Zones of	UC-1, GPC-5,
	localization of T-and B-lymphocytes in peripheral lymphoid organs. The role of	GPC-10
	macrophages and other connective tissue cells in immunogenesis.	
26.	The lymph node. Structure and functional significance. Participation in the	UC-1, GPC-5,
	formation of T - and B-lymphocytes. Sinuses of the lymph node. Main structural	GPC-10
	and functional parts and types of lymph nodes. A ring of lymphatic tissue at the	
	entrance of the oropharynx. The structure of the palatine tonsil	
27.	The spleen. Structure and functional significance. T - and B-zones. Blood supply:	UC-1, GPC-5,
20	features and role in ensuring the function of the spleen.	GPC-10
28.	Tooth structure: parts and tissues. Tooth development: sources and stages. Tooth	UC-1, GPC-5,
20	tissues. Development of dentin. Histogenesis of enamel.	GPC-10
29.	Types of mucous membranes of the oral cavity. Structural and functional	UC-1, GPC-5,
	characteristics and age peculiarities	GPC-10
30.	Alimentary canal. General plan of the wall structure. The sources of development	UC-1, GPC-5,
0.1	and histogenetically characteristic of the tunics of the main portions	GPC-10
31.	Esophagus: the structure of the wall, its features throughout the organ and in the	UC-1, GPC-5,
	area of the esophagus transition to the stomach.	GPC-10
32.	Stomach. General morphofunctional characteristics. Source of development.	UC-1, GPC-5,
	Features of the structure of different portions, in the area of the transition of the	GPC-10
	esophagus to the stomach. Gastric epithelium: structure and function. Cancer of the	
22	stomach: types, structure, cellular composition, function. Internal anti-anemic factor	110 1 626 7
33.	General signs and features in the structural and functional organization of different	UC-1, GPC-5,
	parts of the intestine	GPC-10

34.	Small intestine wall: tunics, layers, intestinal villi and crypts. Cell composition and histophysiology of the intestinal epithelium. Parietal digestion and absorption of nutrients. Tissue and cellular composition. Peyer's patches	UC-1, GPC-5, GPC-10
35.	Large intestine: tunics, their tissue and cellular characteristics. The characteristic features of the structure of the colon	UC-1, GPC-5, GPC-10
36.	Appendix. Tunics and layers. Their tissue and cellular characteristics. The specificity of the structure and significance of the organ	UC-1, GPC-5, GPC-10
37.	Morphological classification of exocrine glands. Salivary glands. Large salivary glands. The principles of the structure. The similarity and structural features of various salivary glands. Role in the body. Histophysiological characteristics of the cellular composition of the terminal sections and excretory ducts	UC-1, GPC-5, GPC-10
38.	Pancreas. General plan of the structure. Exocrine part: acinus, excretory ducts, enzymes. Endocrine part: histophysiological characteristics of the islets of Langerhans, hormones. The functions and importance of the organ	UC-1, GPC-5, GPC-10
39.	Morphological classification of exocrine glands. Liver. The principles of the structure. The similarity and structural features of various liver. Histophysiological characteristics of the cellular composition of the terminal sections and excretory ducts	UC-1, GPC-5, GPC-10
40.	Gallbladder. General plan of the structure. The functions and importance of the organ	UC-1, GPC-5, GPC-10
41.	General morphological and functional properties of the endocrine glands. Hypothalamus (endocrinocytes and hormones, target cells and their properties). Hypothalamic-pituitary relations.	UC-1, GPC-5, GPC-10
42.	Pituitary gland: development and structure. Role in the endocrine system. The connection of the pituitary gland with the hypothalamus. Morphological and functional characteristics of the cellular composition. Cellular composition. Hormones	UC-1, GPC-5, GPC-10
43.	The thyroid gland. Development. Structure: tissue and cellular composition, follicular and parafollicular cells. Hormones. Functions of the gland. The secretory cycle. Parathyroid glands. Development. Parathyroid glands. Development. Morphological and functional characteristic	UC-1, GPC-5, GPC-10
44.	The adrenal glands. Structural and functional features of the parts and zones distinguished in the organ. The cellular structure of the cortex and medulla. Endocrine function, its regulation	UC-1, GPC-5, GPC-10
45.	General characteristics of the urinary system. Kidney. Nephron and urine formation. Renal interstitium. Juxtaglomerular apparatus. Endocrine function of the kidney. Blood supply of the kidney. Excretory passages of the urinary system: ureter, urinary bladder, urethra	UC-1, GPC-5, GPC-10
46.	Male reproductive organs. Testes: structure and functions. The convoluted seminiferous tubules: a tubular epithelium, a spermatogenic epithelium, a cellular composition, a blood-testicular barrier. Spermatogenesis. Endocrine function of the testis. Genital ducts and accessory glands of the male reproductive system. Epididymis, seminal vesicles, prostate. Development, structure, functions.	UC-1, GPC-5, GPC-10
47.	Ovary. Development of the ovary. Oogenesis and endocrine function. Follicles, their varieties and derivatives. The structure of a mature follicle. Follicle atresia, atretic body, structure and importance. Ovulation. Endocrine structures of the ovary. Yellow body. Hormonal regulation of cyclic changes in the ovary. Age-related changes.	UC-1, GPC-5, GPC-10
48.	Uterus: the structure of the wall. Tissue and cellular composition. Features of the structure and function of the cervix. Intra-organ vessels. Cyclic changes of the uterus and their hormonal regulation. Oviducts: development, structure, functioning and cyclical changes.	UC-1, GPC-5, GPC-10
49.	The mammary gland. The structure and function. Tissue and cellular composition. Morphological features of "active" and "resting" mammary glands. Types of the secretion and the endocrine regulation of the gland.	UC-1, GPC-5, GPC-10
50.	Embryonic membranes and provisional organs in human embryogenesis. Their development, structure and meaning. Human placenta. The role of the yolk sac.	UC-1, GPC-5, GPC-10
51.	Placenta. The sources of its formation and the main parts and functions. Tissue and cell composition. The placental barrier. Decidual cells. Fibrinoid. Cotyledons	UC-1, GPC-5, GPC-10

5.1.2. Questions for the credit in the discipline (not included in the curriculum)

5.1.3. The subject of term papers (not included in the curriculum)

5.1.4. Histological preparations by topics/sections of the discipline "Histology, embryology, cytology" (UC-1, GPC-5, GPC-10)

- 1. Preparation 41. The latest gastrula
- 2. Preparation 24. Blood smear
- 3. Preparation 60. Loose connective tissue
- 4. Preparation 58. Dense regular connective tissue (transection of tendon)
- 5. Preparation **65. Hyaline cartilage**
- 6. Preparation 8. Elastic cartilage
- 7. Preparation 68. Lamellar bone tissue
- 8. Preparation 69. Intramembranous bone formation
- 9. Preparation 70. Endochondral bone formation
- 10. Preparation 72. Skeletal muscle tissue
- 11. Preparation 73. Cardiac muscle tissue
- 25. Preparation 100. Microcirculatory bed
- 26. Preparation 101. Muscular artery
- 27. Preparation 102. Muscular vein
- 28. Preparation 103. Elastic artery
- 29. Preparation 106. Heart wall
- 30. Preparation 162. Thymus
- 31. Preparation 108. Lymph node
- 32. Preparation 109. Spleen
- 33. Preparation 134. Tooth development early stage
- 34. Preparation 135. Tooth development late stage
- 35. Preparation 128. Tongue (sagittal section of the anterior part)
- 36. Preparation 131. Palatine tonsil
- 37. Preparation 136. Esophagus
- 38. Preparation 138. Stomach (fundic region)
- 39. Preparation 141. Duodenum
- 40. Preparation 143. Jejunum
- 41. Preparation **144. Large intestine**
- 42. Preparation 145. Appendix
- 43. Preparation 146. Parotid gland
- 44. Preparation 147. Submandibular gland
- 45. Preparation 148. Pancreas
- 46. Preparation 150. Human liver
- 47. Preparation 149. Gallbladder
- 48. Preparation 159. Pituitary gland (Hypophysis)
- 49. Preparation 160. Thyroid gland
- 50. Preparation 163. Suprarenal gland (Adrenal gland)
- 51. Preparation 165. Kidney
- 52. Preparation 168. Urinary bladder
- 53. Preparation 169. Testis
- 54. Preparation 170. Epididymis
- 55. Preparation 172. Prostate
- 56. Preparation 173. Ovary
- 57. Preparation 175. Uterus
- 58. Preparation 179. Mammary gland
- 59. Preparation 177. Maternal portion of placenta
- 60. Preparation 178. Fetal portion of placenta

61. Preparation 149. Gallbladder

5.1.5. Electron microphotographs of histological structures by topics/sections of the discipline "Histology, embryology, cytology" (UC-1, GPC-5, GPC-10)

Electron micrograph of agranular (or smooth) endoplasmic reticulum (1) and granular (or rough) endoplasmic reticulum (2) Electron micrograph (x 200.000) of a mitochondrion (1) with the cristae (C) 2 granular (or rough) endoplasmic reticulum 1. Lysosomes (A = electron micrograph x 27.000; B = electron micrograph x 60,000) 5. Golgi apparatus(electron micrograph x 55,000) 6. Microtubules in longitudinal profile 7. Parent and daughter centrioles in a fibroblast (electron micrograph x 90,000) 8. Cytoplasmic inclusions and organelles of a hepatocyte (electron micrograph x 17000) Intercellular junctions 9. A = Occluding (1) and anchoring (2,3) intercellular junctions (electron micrograph x 80,000) 10. Microvilli with glycocalyx on the apical surface of an absorptive cell (electron micrograph x 100,000) 11. (electron micrograph x 100,000) 12. (intercellular junctions electron micrograph x 100,000) 13. Numerous pinocytotic vesicles (arrows) withing the cytoplasm of simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x 60,000) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x 16,762) 13. Nuclear (or fibrous) laminand an ovocyte(scanning electron micrograph x 16,762) 14. Cell nucleus (electron micrograph x 16,762) 15. Nuclear (or fibrous) laminand an ovocyte(scanning electron micrograph x 15,000) 17. Telophase of mitosis in mammary gland cell (electron micrograph x 15,000) 18. Despendation of micrograph x 60,000 A fland (pictudinal section, electron micrograph x 48,000) 19. Primordial ovarian follicle (electron micrograph x 6,000) 20. Fertilization (scanning electron micrograph x 6,000) 21. Fertilization (scanning electron micrograph x 6,000) 22. Fertilization (scanning electron micrograph x 6,000) 23. Fibroblast (electron micrograph x 1,000) 24. A Three main cell types of the respiratory epithelium (electron micrograph x 1,800) 25. Fibrobla		pline "Histology, embryology, cytology" (UC-1, GPC-5, GPC-10)
endoplasmic reticulum (2) Electron micrograph (x 200,000) of a mitochondrion (1) with the cristae (C) 2 - granular (or rough) endoplasmic reticulum 4. Lysosomes (A - electron micrograph x 27,000; B - electron micrograph x 60,000) 5. Golgi apparatus(electron micrograph x 55,000) 6. Microtubules in longitudinal profile 7. Parent and daughter centrioles in a fibroblast (electron micrograph x 17000) Intercellular junctions 8. Cytoplasmic inclusions and organelles of a hepatocyte (electron micrograph x 17000) Intercellular junctions A - Occluding (1) and anchoring (2,3) intercellular junctions (electron micrograph x 95,000) 8. Gap junction, or nexus or electrical synapse, related to communicating junctions (electron micrograph x 80,000) Microvilli with glycocalyx on the apical surface of an absorptive cell (electron micrograph x 100,000) Cilia of epithelial cell 14. A. Longitudinal section of the apical part of a cell (electron micrograph x 36,000) Numerous pinocytotic vesicles (arrows) withing the cytoplasm of simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x 80,000) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x 16,762) 14. Cell nucleus (electron micrograph x 16,762) 15. Nuclear (or fibrous) laminaof an ovocyte(scanning electron micrograph x 15,000) 16. Metaphase of mitosis in a spermatogonium demonstrating the forming midbody or cytokinesis (arrowhad). Electron micrograph x 14,000) b) Neck, middle piece and principal piece (longitudinal section, electron micrograph x 17,000) c) Middle piece (cross section, electron micrograph x 14,000) b) Neck, middle piece and principal piece (longitudinal section, electron micrograph x 10,000) 7. Plasma cell (electron micrograph x 10,000) Active (phagocytic) was prophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a num	1.	Cell membrane and a glycocalyx (electron micrograph x 200,000)
endoplasmic reticulum (2) 3. 2 = granular (or rough) endoplasmic reticulum 4. Lysosomes (A - electron micrograph x 27,000; B - electron micrograph x 60,000) 5. Golgi apparatus(electron micrograph x 55,000) 6. Microtubules in longitudinal profile 7. Parent and daughter centrioles in a fibroblast (electron micrograph x 90,000) 8. Cytoplasmic inclusions and organelles of a hepatocyte (electron micrograph x 17000) 1. Intercellular junctions 8. Cytoplasmic inclusions and organelles of a hepatocyte (electron micrograph x 17000) 1. Intercellular junctions 8. A - Occluding (1) and anchoring (2,3) intercellular junctions (electron micrograph x 95,000) 8. B - Gap junction, or nexus or electrical synapse, related to communicating junctions (electron micrograph x 80,000) 10. Microvilli with glycocalyx on the apical surface of an absorptive cell (electron micrograph x 100,000) 11. Cilia of epithelial cell 11. A. Longitudinal section of the apical part of a cell (electron micrograph x 36,000) 12. Numerous pinocytotic vesicles (arrows) withing the cytoplasm of simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x 80,000) 12. Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x 16,762) 13. Nuclear (or fibrous) laminaof an ovocyte(scanning electron micrograph x 15,000) 14. Cell nucleus (electron micrograph x 16,762) 15. Nuclear (or fibrous) laminaof an ovocyte(scanning electron micrograph x 15,000) 16. Metaphase of mitosis in as permatogonium demonstrating the forming midbody or cytokinesis (arrowhead). Electron micrograph x 14,000) 18. Spermatozoon 18. Spermatozoon 18. Disconsistantical (respiratory) epithelium (electron micrograph x 1,100) 20. Middle piece (cross section, electron micrograph x 14,000) 21. Primordial ovarian follicle (electron micrograph x 6,000) 22. Primordial ovarian follicle (electron micrograph x 6,000) 2	, I	Electron micrograph of agranular (or smooth) endoplasmic reticulum (1) and granular (or rough)
 2 - granular (or rough) endoplasmic reticulum Lysosomes (A - electron micrograph x 27,000; B - electron micrograph x 60,000) Golgi apparatus(electron micrograph x 55,000) Microtubules in longitudinal profile Parent and daughter centrioles in a fibroblast (electron micrograph x 90,000) Cytoplasmic inclusions and organelles of a hepatocyte (electron micrograph x 17000) Intercellular junctions A - Occluding (1) and anchoring (2,3) intercellular junctions (electron micrograph x 95,000) B - Gap junction, or nexus or electrical synapse, related to communicating junctions (electron micrograph x 80,000) Microvilli with glycocalyx on the apical surface of an absorptive cell (electron micrograph x 100,000) Cilia of cpithelial cell A. Longitudinal section of the apical part of a cell (electron micrograph x 36,000) B. Cross sections of cilia (electron micrograph x 88,000) Numerous pinocytoic vesicles (arrows) withing the cytoplasm of simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x 60,000) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x 11,600) Cell nucleus (electron micrograph x 16,762) Nuclear (or fibrous) laminaof an ovocyte(scanning electron micrograph x 15,000) Telophase of mitosis in a spermatogonium demonstrating the forming midbody or cytokinesis (arrowhead). Electron micrograph x 14,000) Neck, middle piece and principal piece (longitudinal section, electron micrograph x 17,000) Primordial ovarian follice (electron micrograph x 6,200) Fertilization (scanning electron micrograph x 6,200) Primordial ovarian follice (electron micrograph x 10,000)	۷.	
2—granuar (or Yough) encoplasmic reticulum 1. Lysosomes (A —electron micrograph x 27,000; B —electron micrograph x 60,000) 6. Microtubules in longitudinal profile 7. Parent and daughter centrioles in a fibroblast (electron micrograph x 90,000) 8. Cytoplasmic inclusions and organelles of a hepatocyte (electron micrograph x 17000) Intercellular junctions 8. A—Occluding (1) and anchoring (2,3) intercellular junctions (electron micrograph x 95,000) 8. B—Gap junction, or nexus or electrical synapse, related to communicating junctions (electron micrograph x 80,000) 8. Gap junction, or nexus or electrical synapse, related to communicating junctions (electron micrograph x 80,000) 10. Microvilli with glycocalyx on the apical surface of an absorptive cell (electron micrograph x 100,000) 11. Cilia of epithelial cell 12. A. Longitudinal section of the apical part of a cell (electron micrograph x 36,000) 13. Ross sections of cilia (electron micrograph x 88,000) 14. Cull more pinocytotic vesicles (arrows) withing the cytoplasm of simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x 80,000) 13. Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x 11,600) 14. Cell nucleus (electron micrograph x 16,762) 15. Nuclear (or fibrous) laminaof an ovocyte(scanning electron micrograph x 16,762) 16. Metaphase of mitosis in a spermatogonium demonstrating the forming midbody or cytokinesis (arrowhead). Electron micrograph. Spermatozoon 18. b) Neck, middle piece and principal piece (longitudinal section, electron micrograph x 17,000) 19. Primordial ovarian follicle (electron micrograph x 48,000) 19. Primordial ovarian follicle (electron micrograph x 6,200) 20. Fertilization (scanning electron micrograph x 1,200) 21. Numerous pinocytoite vesicles (arrows) withing the cytoplasm of the simple squamouse epithelium (endothelium) of a blood vessel	2	Electron micrograph (x 200,000) of a mitochondrion (1) with the cristae (C)
 Lysosomes (A – electron micrograph x 57,000; B – electron micrograph x 60,000) Golgi apparatus(electron micrograph x 55,000) Microtubules in longitudinal profile Parent and daughter centrioles in a fibroblast (electron micrograph x 90,000) Cytoplasmic inclusions and organelles of a hepatocyte (electron micrograph x 17000) Intercellular junctions A – Occluding (1) and anchoring (2,3) intercellular junctions (electron micrograph x 95,000) B – Gap junction, or nexus or electrical synapse, related to communicating junctions (electron micrograph x 80,000) Microvilli with glycocalyx on the apical surface of an absorptive cell (electron micrograph x 100,000) Cilia of epithelial cell A Longitudinal section of the apical part of a cell (electron micrograph x 36,000) B. Cross sections of cilia (electron micrograph x 88,000) Numerous pinocytotic vesicles (arrows) withing the cytoplasm of simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x 60,000) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x 11,600) Cell nucleus (electron micrograph x 16,762) Metaphase of mitosis in aspermatogonium demonstrating the forming midbody or cytokinesis (arrows) mimosial magnitude of mitosis in a spermatogonium demonstrating the forming midbody or cytokinesis (arrows) withing the cytoplasm of the simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x 14,000) Primordial ovarian follice (electron micrograph x 6,200) Permatozoon Head (longitudinal section, electron micrograph x 6,200) Primordial ovarian follice (electron micrograph x 6,200) Perminordial ovarian follice (electron mic	3.	
 Golgi apparatus(electron micrograph x 55,000) Microtubules in longitudinal profile Parent and daughter centrioles in a fibroblast (electron micrograph x 90,000) Cytoplasmic inclusions and organelles of a hepatocyte (electron micrograph x 17000) Intercellular junctions A - Occluding (1) and anchoring (2,3) intercellular junctions (electron micrograph x 95,000) B - Gap junction, or nexus or electrical synapse, related to communicating junctions (electron micrograph x 80,000) Microvilli with glycocalyx on the apical surface of an absorptive cell (electron micrograph x 100,000) Cilia of epithelial cell A Longitudinal section of the apical part of a cell (electron micrograph x 36,000) B. Cross sections of cilia (electron micrograph x 88,000) Numerous pinocytotic vesicles (arrows) withing the cytoplasm of simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x 80,000) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x 16,762) Nuclear (or fibrous) laminaof an ovocyte(scanning electron micrograph x 16,762) Metaphase of mitosis in a spermatogonium demonstrating the forming midbody or cytokinesis (arrowhead). Electron micrograph. Spermatozoon Had (longitudinal section, electron micrograph x 48,000) Primordial ovarian follicle (electron micrograph x 8,000) Primordial ovarian follicle (electron micrograph x 6,200) Primordial ovarian follicle (electron micrograph x 6,000) Simple columnar epithelium (absorptive cells and goblet cell in the intestinal epithelium) of a blood vessel (electron micrograph x 1,200) Pseudostratified (respiratory) epithelium (electron micrograp	4.	
 Microtubules in longitudinal profile Parent and daughter centrioles in a fibroblast (electron micrograph x 90,000) Cytoplasmic inclusions and organelles of a hepatocyte (electron micrograph x 17000) Intercellular junctions A Coccluding (1) and anchoring (2,3) intercellular junctions (electron micrograph x 95,000) B - Gap junction, or nexus or electrical synapse, related to communicating junctions (electron micrograph x 80,000) Microvilli with glycocalyx on the apical surface of an absorptive cell (electron micrograph x 100,000) Cilia of epithelial cell A Longitudinal section of the apical part of a cell (electron micrograph x 36,000) B. Cross sections of cilia (electron micrograph x 88,000) Numerous pinocytotic vesicles (arrows) withing the cytoplasm of simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x 60,000) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x 16,762) Nuclear (or fibrous) laminaof an ovocyte(scanning electron micrograph x 16,762) Metaphase of mitosis in aspermatogonium demonstrating the forming midbody or cytokinesis (arrowhead). Electron micrograph. Spermatozoon B. Head (longitudinal section, electron micrograph x 14,000) Primordial ovarian follicle (electron micrograph x 14,000) Primordial ovarian follicle (electron micrograph x 18,000) Premordial ovarian follicle (electron micrograph x 18,000) Premordial ovarian follicle (electron micrograph x		<u> </u>
 Parent and daughter centrioles in a fibroblast (electron micrograph x 90,000) Cytoplasmic inclusions and organelles of a hepatocyte (electron micrograph x 17000) Intercellular junctions A – Occluding (1) and anchoring (2,3) intercellular junctions (electron micrograph x 95,000) B – Gap junction, or nexus or electrical synapse, related to communicating junctions (electron micrograph x 80,000) Microvilli with glycocalyx on the apical surface of an absorptive cell (electron micrograph x 100,000) Cilia of epithelial cell A Longitudinal section of the apical part of a cell (electron micrograph x 36,000) B. Cross sections of cilia (electron micrograph x 88,000) Numerous pinocytotic vesicles (arrows) withing the cytoplasm of simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x 80,000) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x 11,600) Cell nucleus (electron micrograph x 16,762) Nuclear (or fibrous) laminaof an ovocyte(scanning electron micrograph x 15,000) Telophase of mitosis in mammary gland cell (electron micrograph x 15,000) Telophase of mitosis in a spermatogonium demonstrating the forming midbody or cytokinesis (arrowhead). Electron micrograph. Spermatozoon Head (longitudinal section, electron micrograph x 14,000) Kertilization (scanning electron micrograph x 5,700) Fertilization (scanning electron micrograph x 5,700) Fertilization (scanning electron micrograph x 5,700) Numerous pinocytotic vesicles (arrows) withing the cytoplasm of the simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x 1,000) Fertilization (scanning elect		
8. Cytoplasmic inclusions and organelles of a hepatocyte (electron micrograph x 17000) Intercellular junctions A — Occluding (1) and anchoring (2,3) intercellular junctions (electron micrograph x 95,000) B — Gap junction, or nexus or electrical synapse, related to communicating junctions (electron micrograph x 80,000) Microvilli with glycocalyx on the apical surface of an absorptive cell (electron micrograph x 100,000) Cilia of epithelial cell 11. A. Longitudinal section of the apical part of a cell (electron micrograph x 36,000) B. Cross sections of cilia (electron micrograph x 88,000) 12. Numerous pinocytotic vesicles (arrows) withing the cytoplasm of simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x 60,000) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x 16,762) 14. Cell nucleus (electron micrograph x 16,762) 15. Nuclear (or fibrous) laminaof an ovocyte(scanning electron micrograph x 15,000) 17. Telophase of mitosis in a spermatogonium demonstrating the forming midbody or cytokinesis (arrowada). Electron micrograph. Spermatozoon 18. Spermatozoon 18. Spermatozoon 18. Spermatozoon 19. Primordial ovarian follicle (electron micrograph x 14,000) b) Neck, middle piece and principal piece (longitudinal section, electron micrograph x 17,000) c) Middle piece (cross section, electron micrograph x 48,000) 19. Primordial ovarian follicle (electron micrograph x 48,000) 19. Primordial ovarian follicle (electron micrograph x 60,000) 21. Numerous pinocytotic vesicles (arrows) withing the cytoplasm of the simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x 6,0000) 22. Simple columnar epithelium (absorptive cells and goblet cell in the intestinal epithelium (sendothelium) of a blood vessel (electron micrograph x 1,200) 23. A. There main cell types of the respiratory epithelium (electron micrograph x 1,200) 24.		<u> </u>
Intercellular junctions A - Occluding (1) and anchoring (2,3) intercellular junctions (electron micrograph x 95,000) B - Gap junction, or nexus or electrical synapse, related to communicating junctions (electron micrograph x 80,000) Microvilli with glycocalyx on the apical surface of an absorptive cell (electron micrograph x 100,000) Cilia of epithelial cell A. Longitudinal section of the apical part of a cell (electron micrograph x 36,000) B. Cross sections of cilia (electron micrograph x 88,000) Numerous pinocytotic vesicles (arrows) withing the cytoplasm of simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x 60,000) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x 11,600) 4. Cell nucleus (electron micrograph x 16,762) Nuclear (or fibrous) laminaof an ovocyte(scanning electron micrograph x 16,762) Telophase of mitosis in a mammary gland cell (electron micrograph x 15,000) Telophase of mitosis in a spermatogonium demonstrating the forming midbody or cytokinesis (arrowhead). Electron micrograph. Spermatozoon a) Head (longitudinal section, electron micrograph x 14,000) b) Neck, middle piece and principal piece (longitudinal section, electron micrograph x 17,000) c) Middle piece (cross section, electron micrograph x 48,000) Primordial ovarian follicle (electron micrograph x 6,000) Primordial ovarian follicle (electron micrograph x 6,000) Primordial ovarian follicle (electron micrograph x 6,000) Simple columnar epithelium (absorptive cells and goblet cell in the intestinal epithelium). Electron micrograph x 6,0000 Pseudostratified (respiratory) epithelium A. Three main cell types of the respiratory epithelium (electron micrograph x 1,200) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron mi		
 A – Occluding (1) and anchoring (2,3) intercellular junctions (electron micrograph x 95,000) B – Gap junction, or nexus or electrical synapse, related to communicating junctions (electron micrograph x 80,000) Microvilli with glycocalyx on the apical surface of an absorptive cell (electron micrograph x 100,000) Cilia of epithelial cell A. Longitudinal section of the apical part of a cell (electron micrograph x 36,000) B. Cross sections of cilia (electron micrograph x 88,000) Numerous pinocytotic vesicles (arrows) withing the cytoplasm of simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x 60,000) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x 11,600) Cell nucleus (electron micrograph x 16,762) Muclear (or fibrous) laminaof an ovocyte(scanning electron micrograph x 15,000) Telophase of mitosis in a spermatogonium demonstrating the forming midbody or cytokinesis (arrowhead). Electron micrograph. Spermatozoon a). Head (longitudinal section, electron micrograph x 14,000) b) Neck, middle piece and principal piece (longitudinal section, electron micrograph x 17,000) Primordial ovarian follicle (electron micrograph x 5,700) Primordial ovarian follicle (electron micrograph x 5,700) Numerous pinocytotic vesicles (arrows) withing the cytoplasm of the simple squamouse epithelium (edothelium) of a blood vessel (electron micrograph x 6,0000) Electron micrograph x 6,0000 Pseudostratified (respiratory) epithelium A. Three main cell types of the respiratory epithelium (electron micrograph x 1,200) Active (phagocytic) macr	0.	
8 - Gap junction, or nexus or electrical synapse, related to communicating junctions (electron micrograph x 80,000) 10. Microvilli with glycocalyx on the apical surface of an absorptive cell (electron micrograph x 100,000) Cilia of epithelial cell A. Longitudinal section of the apical part of a cell (electron micrograph x 36,000) B. Cross sections of cilia (electron micrograph x 88,000) Numerous pinocytotic vesicles (arrows) withing the cytoplasm of simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x 60,000) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x 16,000) 14. Cell nucleus (electron micrograph x 16,762) Nuclear (or fibrous) laminaof an ovocyte(scanning electron micrograph x 15,000) 16. Metaphase of mitosis in a mammary gland cell (electron micrograph x 15,000) 17. Telophase of mitosis in a spermatogonium demonstrating the forming midbody or cytokinesis (arrowhead). Electron micrograph. Spermatozoon a). Head (longitudinal section, electron micrograph x 14,000) b) Neck, middle piece and principal piece (longitudinal section, electron micrograph x 17,000) c) Middle piece (cross section, electron micrograph x 48,000) 19. Primordial ovarian follicle (electron micrograph x 5,700) Numerous pinocytotic vesicles (arrows) withing the cytoplasm of the simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x 60,000) 22. Simple columnar epithelium (absorptive cells and goblet cell in the intestinal epithelium). Electron micrograph x 6,0000 23. Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x 1,600) 24. Mats cell (electron micrograph x 10,000) Plasma cell (electron micrograph x 10,000) Adipocytes of white fat (unilocular fat cells) in various st		y
(electron micrograph x 80,000) Microvilli with glycocalyx on the apical surface of an absorptive cell (electron micrograph x 100,000) Cilia of epithelial cell 1. A. Longitudinal section of the apical part of a cell (electron micrograph x 36,000) B. Cross sections of cilia (electron micrograph x 88,000) Numerous pinocytotic vesicles (arrows) withing the cytoplasm of simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x 60,000) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x 11,600) 14. Cell nucleus (electron micrograph x 16,762) 15. Nuclear (or fibrous) laminaof an ovocyte(scanning electron micrograph x 15,000) Telophase of mitosis in a spermatogonium demonstrating the forming midbody or cytokinesis (arrowhead). Electron micrograph. Spermatozoon a). Head (longitudinal section, electron micrograph x 14,000) b). Neck, middle piece and principal piece (longitudinal section, electron micrograph x 15,000) Primordial ovarian follicle (electron micrograph x 48,000) Primordial ovarian follicle (electron micrograph x 5,700) Numerous pinocytotic vesicles (arrows) withing the cytoplasm of the simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x 6,000) Pseudostratified (respiratory) epithelium A. Three main cell types of the respiratory epithelium (electron micrograph x 1,800) B. Luminal surface of the trachea (scanning electron micrograph x 1,200) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x 11,600) Adipocytes of the trachea (scanning electron micrograph x 1,200) Adipocytes of with fat (unilocular fat cells) in various stages of maturation b. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocytes of bloo	9.	
Microvilli with glycocalyx on the apical surface of an absorptive cell (electron micrograph x 100,000)		
Cilia of epithelial cell A. Longitudinal section of the apical part of a cell (electron micrograph x 36,000) B. Cross sections of cilia (electron micrograph x 88,000) Numerous pinocytotic vesicles (arrows) withing the cytoplasm of simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x 60,000) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x 16,762) 13. Nuclear (or fibrous) laminaof an ovocyte(scanning electron micrograph x 16,762) 14. Cell nucleus (electron micrograph x 16,762) 15. Nuclear (or fibrous) laminaof an ovocyte(scanning electron micrograph x 15,000) 17. Telophase of mitosis in ammary gland cell (electron micrograph x 15,000) 18. Spermatozoon 18. Spermatozoon 18. Spermatozoon 19. Head (longitudinal section, electron micrograph x 14,000) 10. b) Neck, middle piece and principal piece (longitudinal section, electron micrograph x 17,000) 10. Primordial ovarian follicle (electron micrograph x 6,200) 11. Numerous pinocytotic vesicles (arrows) withing the cytoplasm of the simple squamouse epitheliur (endothelium) of a blood vessel (electron micrograph x 6,000) 21. Simple columnar epithelium (absorptive cells and goblet cell in the intestinal epithelium). Electron micrograph x 6,0000 22. Simple columnar epithelium (absorptive cells and goblet cell in the intestinal epithelium). Electron micrograph x 6,0000 23. A. Three main cell types of the respiratory epithelium (electron micrograph x 1,200) 24. A. Three main cell types of the respiratory epithelium (electron micrograph x 1,200) 25. Fibroblast (electron micrograph x 10,000) 26. Mast cell (electron micrograph x 10,000) 27. Plasma cell (electron micrograph x 10,000) 28. Januaria cells (electron micrograph x 10,000) 29. Adipocytes of white fat (unilocular fat cells) in various stages of maturation 29. Adipocytes of blood among mature crythrocytes (cresyl blu		
Cilia of epithelial cell A. Longitudinal section of the apical part of a cell (electron micrograph x 36,000) B. Cross sections of cilia (electron micrograph x 88,000) Numerous pinocytotic vesicles (arrows) withing the cytoplasm of simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x 60,000) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x 16,762) Nuclear (or fibrous) laminaof an ovocyte(scanning electron micrograph x 16,762) Nuclear (or fibrous) laminaof an ovocyte(scanning electron micrograph x 15,000) Telophase of mitosis in a spermatogonium demonstrating the forming midbody or cytokinesis (arrowhead). Electron micrograph. Spermatozoon a) Head (longitudinal section, electron micrograph x 14,000) b) Neck, middle piece and principal piece (longitudinal section, electron micrograph x 17,000) c) Middle piece (cross section, electron micrograph x 48,000) Primordial ovarian follicle (electron micrograph x 5,700) Numerous pinocytotic vesicles (arrows) withing the cytoplasm of the simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x 6,000) Simple columnar epithelium (absorptive cells and goblet cell in the intestinal epithelium). Electron micrograph x 6,0000 Pseudostratified (respiratory) epithelium A. Three main cell types of the respiratory epithelium (electron micrograph x 1,200) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x 11,600) 5. Fibroblast (electron micrograph x 12,000) Mast cell (electron micrograph x 10,000) Adipocytes (fat cells) a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocytes of brown fat (multilocular fat cells) Erythrocytes and thrombocytes of blood (light and electron	10.	
11. A. Longitudinal section of the apical part of a cell (electron micrograph x 36,000) B. Cross sections of cilia (electron micrograph x 88,000) 12. Numerous pinocytotic vesicles (arrows) withing the cytoplasm of simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x 60,000) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x 11,600) 14. Cell nucleus (electron micrograph x 16,762) 15. Nuclear (or fibrous) laminaof an ovocyte(scanning electron micrograph x 15,000) 16. Metaphase of mitosis in a spermatogonium demonstrating the forming midbody or cytokinesis (arrowhead). Electron micrograph. Spermatozoon a) Head (longitudinal section, electron micrograph x 14,000) b) Neck, middle piece and principal piece (longitudinal section, electron micrograph x 17,000) c) Middle piece (cross section, electron micrograph x 48,000) Primordial ovarian follicle (electron micrograph x 6,200) 10. Fertilization (scanning electron micrograph x 5,700) Numerous pinocytotic vesicles (arrows) withing the cytoplasm of the simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x 60,000) Pseudostratified (respiratory) epithelium A. Three main cell types of the respiratory epithelium (electron micrograph x 1,800) B. Luminal surface of the trachea (scanning electron micrograph x 1,200) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x 11,600) 25. Fibroblast (electron micrograph x 12,000) Adipocytes (fat cells) a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocytes of brown fat (multilocular fat cells) Erythrocytes and thrombocytes of blood (light and electron micrographs) a) A P-reticulocytes of blood among mature crythrocytes (· · · · · · · · · · · · · · · · · · ·
B. Cross sections of cilia (electron micrograph x 88,000) Numerous pinocytotic vesicles (arrows) withing the cytoplasm of simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x 60,000) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x 11,600) 14. Cell nucleus (electron micrograph x 16,762) 15. Nuclear (or fibrous) laminaof an ovocyte(scanning electron micrograph x 15,000) 16. Metaphase of mitosis in mammary gland cell (electron micrograph x 15,000) 17. Telophase of mitosis in a spermatogonium demonstrating the forming midbody or cytokinesis (arrowhead). Electron micrograph. Spermatozoon a). Head (longitudinal section, electron micrograph x 14,000) b) Neck, middle piece and principal piece (longitudinal section, electron micrograph x 17,000) c) Middle piece (cross section, electron micrograph x 48,000) 19. Primordial ovarian follicle (electron micrograph x 5,700) Numerous pinocytotic vesicles (arrows) withing the cytoplasm of the simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x 60,000) 21. Simple columnar epithelium (absorptive cells and goblet cell in the intestinal epithelium). Electron micrograph x 6,0000 Pseudostratified (respiratory) epithelium 23. A. Three main cell types of the respiratory epithelium (electron micrograph x 1,200) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x 10,000) Adipocytes (fat cells) a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocytes of brown fat (multilocular fat cell) Erythrocytes and thrombocytes of blood (light and electron micrographs) a) R – reticulocytes of blood among mature crythrocytes (cresyl blue&eosin x 1,200)		•
12. Numerous pinocytotic vesicles (arrows) withing the cytoplasm of simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x 60,000) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x 16,000) 14. Cell nucleus (electron micrograph x 16,762) 15. Nuclear (or fibrous) laminaof an ovocyte(scanning electron micrograph x 15,000) 17. Telophase of mitosis in mammary gland cell (electron micrograph x 15,000) 18. Spermatozoon 18. Spermatozoon 18. Alead (longitudinal section, electron micrograph x 14,000) 19. Neck, middle piece and principal piece (longitudinal section, electron micrograph x 17,000) 20. Fertilization (scanning electron micrograph x 5,200) 19. Numerous pinocytotic vesicles (arrows) withing the cytoplasm of the simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x 6,200) 21. Numerous pinocytotic vesicles (arrows) withing the cytoplasm of the simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x 6,000) 22. Electron micrograph x 6,0000 Pseudostratified (respiratory) epithelium 23. A. Three main cell types of the respiratory epithelium (electron micrograph x 1,800) B. Luminal surface of the trachea (scanning electron micrograph x 1,200) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x 1,600) 25. Fibroblast (electron micrograph x 10,000) Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocytes and thrombocytes of blood (light and electron micrographs) 29. a) R – reticulocytes of blood among mature crythrocytes (cresyl blue&eosin x 1,200)	11.	
(endothelium) of a blood vessel (electron micrograph x 60,000) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron microg x 11,600) 14. Cell nucleus (electron micrograph x 16,762) Nuclear (or fibrous) laminaof an ovocyte(scanning electron micrograph x 16,762) Metaphase of mitosis in mammary gland cell (electron micrograph x 15,000) Telophase of mitosis in a spermatogonium demonstrating the forming midbody or cytokinesis (arrowhead). Electron micrograph. Spermatozoon a) Head (longitudinal section, electron micrograph x 14,000) b) Neck, middle piece and principal piece (longitudinal section, electron micrograph x 17,000) c) Middle piece (cross section, electron micrograph x 48,000) Primordial ovarian follicle (electron micrograph x 5,700) Numerous pinocytotic vesicles (arrows) withing the cytoplasm of the simple squamouse epitheliur (endothelium) of a blood vessel (electron micrograph x 60,000) Simple columnar epithelium (absorptive cells and goblet cell in the intestinal epithelium). Electron micrograph x 6,2000 Pseudostratified (respiratory) epithelium A. Three main cell types of the respiratory epithelium (electron micrograph x 1,800) B. Luminal surface of the trachea (scanning electron micrograph x 1,200) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x 12,000) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x 10,000) Adipocytes (fat cells) A. Alipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocytes of blood among mature		
Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron microg x 11,600) 14. Cell nucleus (electron micrograph x 16,762) 15. Nuclear (or fibrous) laminaof an ovocyte(scanning electron micrograph x 16,762) 16. Metaphase of mitosis in mammary gland cell (electron micrograph x 15,000) 17. Telophase of mitosis in a spermatogonium demonstrating the forming midbody or cytokinesis (arrowhead). Electron micrograph. Spermatozoon a). Head (longitudinal section, electron micrograph x 14,000) b). Neck, middle piece and principal piece (longitudinal section, electron micrograph x 17,000) c). Middle piece (cross section, electron micrograph x 48,000) Primordial ovarian follicle (electron micrograph x 6,200) Pertilization (scanning electron micrograph x 5,700) Numerous pinocytotic vesicles (arrows) withing the cytoplasm of the simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x60,000) Simple columnar epithelium (absorptive cells and goblet cell in the intestinal epithelium). Electron micrograph x6,0000 Pseudostratified (respiratory) epithelium 23. A. Three main cell types of the respiratory epithelium (electron micrograph x 1,800) B. Luminal surface of the trachea (scanning electron micrograph x 1,200) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x10,000) 25. Fibroblast (electron micrograph x10,000) Adipocytes (fat cells) a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocytes of white fat (unilocular fat cells) Erythrocytes and thrombocytes of blood (light and electron micrographs) a) R – reticulocytes of blood among mature crythrocytes (cresyl blue&cosin x1,200)	12	
injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x 11,600) 14. Cell nucleus (electron micrograph x 16,762) 15. Nuclear (or fibrous) laminaof an ovocyte(scanning electron micrograph x 15,000) 16. Metaphase of mitosis in mammary gland cell (electron micrograph x 15,000) 17. Telophase of mitosis in a spermatogonium demonstrating the forming midbody or cytokinesis (arrowhead). Electron micrograph. Spermatozoon a). Head (longitudinal section, electron micrograph x 14,000) b) Neck, middle piece and principal piece (longitudinal section, electron micrograph x 17,000) c) Middle piece (cross section, electron micrograph x 48,000) Primordial ovarian follicle (electron micrograph x 6,200) Fertilization (scanning electron micrograph x 5,700) Numerous pinocytotic vesicles (arrows) withing the cytoplasm of the simple squamouse epitheliur (endothelium) of a blood vessel (electron micrograph x 60,000) Simple columnar epithelium (absorptive cells and goblet cell in the intestinal epithelium). Electron micrograph x 6,0000 Pseudostratified (respiratory) epithelium A. Three main cell types of the respiratory epithelium (electron micrograph x 1,800) B. Luminal surface of the trachea (scanning electron micrograph x 1,200) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x 11,600) 25. Fibroblast (electron micrograph x 12,000) Adipocytes (fat cells) a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocyte of brown fat (multilocular fat cells) in various stages of maturation b. Adipocyte of brown fat (multilocular fat cells) Erythrocytes and thrombocytes of blood (light and electron micrographs) a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x 1,200)	14.	
x 11,600) 14. Cell nucleus (electron micrograph x 16,762) Nuclear (or fibrous) laminaof an ovocyte(scanning electron micrograph x 15,000) Telophase of mitosis in mammary gland cell (electron micrograph x 15,000) Telophase of mitosis in a spermatogonium demonstrating the forming midbody or cytokinesis (arrowhead). Electron micrograph. Spermatozoon a). Head (longitudinal section, electron micrograph x 14,000) b) Neck, middle piece and principal piece (longitudinal section, electron micrograph x 17,000) c) Middle piece (cross section, electron micrograph x 48,000) Primordial ovarian follicle (electron micrograph x 5,700) Numerous pinocytotic vesicles (arrows) withing the cytoplasm of the simple squamouse epitheliur (endothelium) of a blood vessel (electron micrograph x60,000) Simple columnar epithelium (absorptive cells and goblet cell in the intestinal epithelium). Electron micrograph x6,0000 Pseudostratified (respiratory) epithelium A. Three main cell types of the respiratory epithelium (electron micrograph x 1,800) B. Luminal surface of the trachea (scanning electron micrograph x 1,200) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x10,000) Plasma cell (electron micrograph x10,000) Adipocytes (fat cells) a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocytes of brown fat (multilocular fat cells) Erythrocytes and thrombocytes of blood (light and electron micrographs) a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x1,200)		Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been
 14. Cell nucleus (electron micrograph x 16,762) 15. Nuclear (or fibrous) laminaof an ovocyte(scanning electron micrograph x 16,762) 16. Metaphase of mitosis in mammary gland cell (electron micrograph x 15,000) 17. Telophase of mitosis in a spermatogonium demonstrating the forming midbody or cytokinesis (arrowhead). Electron micrograph. 18. Spermatozoon a). Head (longitudinal section, electron micrograph x 14,000) b) Neck, middle piece and principal piece (longitudinal section, electron micrograph x 17,000) c) Middle piece (cross section, electron micrograph x 48,000) 19. Primordial ovarian follicle (electron micrograph x 5,700) 10. Vimerous pinocytotic vesicles (arrows) withing the cytoplasm of the simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x60,000) 22. Simple columnar epithelium (absorptive cells and goblet cell in the intestinal epithelium). Electron micrograph x6,0000 23. A. Three main cell types of the respiratory epithelium (electron micrograph x 1,800) B. Luminal surface of the trachea (scanning electron micrograph x 1,200) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x11,600) 25. Fibroblast (electron micrograph x12,000) 26. Mast cell (electron micrograph x10,000) 27. Plasma cell (electron micrograph x10,000) 28. a. Adipocytes (fat cells) a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocyte of brown fat (multilocular fat cells) Erythrocytes and thrombocytes of blood (light and electron micrographs) 29. a) R – reticulocytes of blood among mature crythrocytes (cresyl blue&cosin x1,200) 	13.	injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph
 Nuclear (or fibrous) lamina f an ovocyte(scanning electron micrograph x 16,762) Metaphase of mitosis in mammary gland cell (electron micrograph x 15,000) Telophase of mitosis in a spermatogonium demonstrating the forming midbody or cytokinesis (arrowhead). Electron micrograph. Spermatozoon a). Head (longitudinal section, electron micrograph x 14,000) b) Neck, middle piece and principal piece (longitudinal section, electron micrograph x 17,000) c) Middle piece (cross section, electron micrograph x 48,000) Primordial ovarian follicle (electron micrograph x 6,200) Fertilization (scanning electron micrograph x 5,700) Numerous pinocytotic vesicles (arrows) withing the cytoplasm of the simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x60,000) Simple columnar epithelium (absorptive cells and goblet cell in the intestinal epithelium). Electron micrograph x6,0000 Pseudostratified (respiratory) epithelium A. Three main cell types of the respiratory epithelium (electron micrograph x 1,800) B. Luminal surface of the trachea (scanning electron micrograph x 1,200) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x11,600) Fibroblast (electron micrograph x12,000) Mast cell (electron micrograph x10,000) Plasma cell (electron micrograph x10,000) Adipocytes (fat cells) a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocyte of brown fat (multilocular fat cells) Erythrocytes and thrombocytes of blood (light and electron micrographs) a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&cosin x1,200) 		x 11,600)
 Nuclear (or fibrous) laminaof an ovocyte(scanning electron micrograph x 16,762) Metaphase of mitosis in mammary gland cell (electron micrograph x 15,000) Telophase of mitosis in a spermatogonium demonstrating the forming midbody or cytokinesis (arrowhead). Electron micrograph. Spermatozoon a) Head (longitudinal section, electron micrograph x 14,000) b) Neck, middle piece and principal piece (longitudinal section, electron micrograph x 17,000) c) Middle piece (cross section, electron micrograph x 48,000) Primordial ovarian follicle (electron micrograph x 5,700) Pertilization (scanning electron micrograph x 5,700) Numerous pinocytotic vesicles (arrows) withing the cytoplasm of the simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x60,000) Simple columnar epithelium (absorptive cells and goblet cell in the intestinal epithelium). Electron micrograph x60,000 Pseudostratified (respiratory) epithelium A. Three main cell types of the respiratory epithelium (electron micrograph x 1,800) B. Luminal surface of the trachea (scanning electron micrograph x 1,200) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x1,600) Fibroblast (electron micrograph x10,000) Plasma cell (electron micrograph x10,000) Plasma cell (electron micrograph x10,000) Adipocytes (fat cells) a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocyte of brown fat (multilocular fat cell) Erythrocytes and thrombocytes of blood (light and electron micrographs) a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x1,200) 	14.	Cell nucleus (electron micrograph x 16,762)
16. Metaphase of mitosis in mammary gland cell (electron micrograph x 15,000) Telophase of mitosis in a spermatogonium demonstrating the forming midbody or cytokinesis (arrowhead). Electron micrograph. Spermatozoon a). Head (longitudinal section, electron micrograph x 14,000) b) Neck, middle piece and principal piece (longitudinal section, electron micrograph x 17,000) c) Middle piece (cross section, electron micrograph x 48,000) Primordial ovarian follicle (electron micrograph x 6,200) Pertilization (scanning electron micrograph x 5,700) Numerous pinocytotic vesicles (arrows) withing the cytoplasm of the simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x60,000) Simple columnar epithelium (absorptive cells and goblet cell in the intestinal epithelium). Electron micrograph x6,0000 Pseudostratified (respiratory) epithelium A. Three main cell types of the respiratory epithelium (electron micrograph x 1,800) B. Luminal surface of the trachea (scanning electron micrograph x 1,200) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x11,600) 25. Fibroblast (electron micrograph x12,000) Adipocytes (fat cells) a. Adipocytes (fat cells) a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocytes of brown fat (multilocular fat cell) Erythrocytes and thrombocytes of blood (light and electron micrographs) a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x1,200)	15.	ů ř
Telophase of mitosis in a spermatogonium demonstrating the forming midbody or cytokinesis (arrowhead). Electron micrograph. Spermatozoon a). Head (longitudinal section, electron micrograph x 14,000) b) Neck, middle piece and principal piece (longitudinal section, electron micrograph x 17,000) c) Middle piece (cross section, electron micrograph x 48,000) Primordial ovarian follicle (electron micrograph x 6,200) Pertilization (scanning electron micrograph x 5,700) Numerous pinocytotic vesicles (arrows) withing the cytoplasm of the simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x60,000) Simple columnar epithelium (absorptive cells and goblet cell in the intestinal epithelium). Electron micrograph x6,0000 Pseudostratified (respiratory) epithelium A. Three main cell types of the respiratory epithelium (electron micrograph x 1,800) B. Luminal surface of the trachea (scanning electron micrograph x 1,200) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x11,600) 5. Fibroblast (electron micrograph x12,000) Mast cell (electron micrograph x10,000) Adipocytes (fat cells) a. Adipocytes (fat cells) a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocytes of brown fat (multilocular fat cell) Erythrocytes and thrombocytes of blood (light and electron micrographs) a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x1,200)	16.	
(arrowhead). Electron micrograph. Spermatozoon a). Head (longitudinal section, electron micrograph x 14,000) b) Neck, middle piece and principal piece (longitudinal section, electron micrograph x 17,000) c) Middle piece (cross section, electron micrograph x 48,000) Primordial ovarian follicle (electron micrograph x 6,200) Pertilization (scanning electron micrograph x 5,700) Numerous pinocytotic vesicles (arrows) withing the cytoplasm of the simple squamouse epitheliur (endothelium) of a blood vessel (electron micrograph x60,000) Simple columnar epithelium (absorptive cells and goblet cell in the intestinal epithelium). Electron micrograph x6,0000 Pseudostratified (respiratory) epithelium A. Three main cell types of the respiratory epithelium (electron micrograph x 1,800) B. Luminal surface of the trachea (scanning electron micrograph x 1,200) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x11,600) 25. Fibroblast (electron micrograph x12,000) Mast cell (electron micrograph x10,000) Plasma cell (electron micrograph x10,000) Adipocytes (fat cells) a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocytes of brown fat (multilocular fat cell) Erythrocytes and thrombocytes of blood (light and electron micrographs) a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x1,200)		<u> </u>
Spermatozoon a). Head (longitudinal section, electron micrograph x 14,000) b) Neck, middle piece and principal piece (longitudinal section, electron micrograph x 17,000) c) Middle piece (cross section, electron micrograph x 48,000) 19. Primordial ovarian follicle (electron micrograph x 5,700) 20. Fertilization (scanning electron micrograph x 5,700) 21. (endothelium) of a blood vessel (electron micrograph x60,000) 22. Simple columnar epithelium (absorptive cells and goblet cell in the intestinal epithelium). Electron micrograph x6,0000 Pseudostratified (respiratory) epithelium 23. A. Three main cell types of the respiratory epithelium (electron micrograph x 1,800) B. Luminal surface of the trachea (scanning electron micrograph x 1,200) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x11,600) 25. Fibroblast (electron micrograph x12,000) 26. Mast cell (electron micrograph x10,000) 27. Plasma cell (electron micrograph x10,000) 28. Adipocytes (fat cells) a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocytes and thrombocytes of blood (light and electron micrographs) a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x1,200)	17.	
 a). Head (longitudinal section, electron micrograph x 14,000) b) Neck, middle piece and principal piece (longitudinal section, electron micrograph x 17,000) c) Middle piece (cross section, electron micrograph x 48,000) 19. Primordial ovarian follicle (electron micrograph x 6,200) 20. Fertilization (scanning electron micrograph x 5,700) 21. Numerous pinocytotic vesicles (arrows) withing the cytoplasm of the simple squamouse epitheliur (endothelium) of a blood vessel (electron micrograph x60,000) 22. Simple columnar epithelium (absorptive cells and goblet cell in the intestinal epithelium). 23. A. Three main cell types of the respiratory epithelium (electron micrograph x 1,800) B. Luminal surface of the trachea (scanning electron micrograph x 1,200) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x11,600) 25. Fibroblast (electron micrograph x12,000) 26. Mast cell (electron micrograph x10,000) 27. Plasma cell (electron micrograph x10,000) 28. Adipocytes (fat cells) a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocytes and thrombocytes of blood (light and electron micrographs) 29. a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x1,200) 		<u> </u>
 b) Neck, middle piece and principal piece (longitudinal section, electron micrograph x 17,000) c) Middle piece (cross section, electron micrograph x 48,000) 19. Primordial ovarian follicle (electron micrograph x 6,200) 20. Fertilization (scanning electron micrograph x 5,700) 21. Numerous pinocytotic vesicles (arrows) withing the cytoplasm of the simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x60,000) 22. Simple columnar epithelium (absorptive cells and goblet cell in the intestinal epithelium). Electron micrograph x6,0000 23. A. Three main cell types of the respiratory epithelium (electron micrograph x 1,800) B. Luminal surface of the trachea (scanning electron micrograph x 1,200) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x11,600) 25. Fibroblast (electron micrograph x12,000) 26. Mast cell (electron micrograph x10,000) 27. Plasma cell (electron micrograph x10,000) 28. a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocyte of brown fat (multilocular fat cell) Erythrocytes and thrombocytes of blood (light and electron micrographs) 29. a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x1,200) 		
c) Middle piece (cross section, electron micrograph x 48,000) 19. Primordial ovarian follicle (electron micrograph x 6,200) 20. Fertilization (scanning electron micrograph x 5,700) 21. Numerous pinocytotic vesicles (arrows) withing the cytoplasm of the simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x60,000) 22. Simple columnar epithelium (absorptive cells and goblet cell in the intestinal epithelium). Electron micrograph x6,0000 23. A Three main cell types of the respiratory epithelium (electron micrograph x 1,800) 24. B. Luminal surface of the trachea (scanning electron micrograph x 1,200) 25. Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x11,600) 26. Mast cell (electron micrograph x10,000) 27. Plasma cell (electron micrograph x10,000) Adipocytes (fat cells) a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocytes of brown fat (multilocular fat cell) Erythrocytes and thrombocytes of blood (light and electron micrographs) 29. a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x1,200)	18.	
 Primordial ovarian follicle (electron micrograph x 6,200) Fertilization (scanning electron micrograph x 5,700) Numerous pinocytotic vesicles (arrows) withing the cytoplasm of the simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x60,000) Simple columnar epithelium (absorptive cells and goblet cell in the intestinal epithelium). Electron micrograph x6,0000 Pseudostratified (respiratory) epithelium A. Three main cell types of the respiratory epithelium (electron micrograph x 1,800) B. Luminal surface of the trachea (scanning electron micrograph x 1,200) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x11,600) Fibroblast (electron micrograph x12,000) Mast cell (electron micrograph x10,000) Plasma cell (electron micrograph x10,000) Adipocytes (fat cells) a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocytes of brown fat (multilocular fat cell) Erythrocytes and thrombocytes of blood (light and electron micrographs) a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x1,200) 		
 20. Fertilization (scanning electron micrograph x 5,700) 21. Numerous pinocytotic vesicles (arrows) withing the cytoplasm of the simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x60,000) 22. Simple columnar epithelium (absorptive cells and goblet cell in the intestinal epithelium). Electron micrograph x6,0000 23. Pseudostratified (respiratory) epithelium 24. A. Three main cell types of the respiratory epithelium (electron micrograph x 1,800) 25. Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x11,600) 25. Fibroblast (electron micrograph x12,000) 26. Mast cell (electron micrograph x10,000) 27. Plasma cell (electron micrograph x10,000) 28. a. Adipocytes (fat cells) a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocyte of brown fat (multilocular fat cell) Erythrocytes and thrombocytes of blood (light and electron micrographs) 29. a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x1,200) 	10	
Numerous pinocytotic vesicles (arrows) withing the cytoplasm of the simple squamouse epithelium (endothelium) of a blood vessel (electron micrograph x60,000) Simple columnar epithelium (absorptive cells and goblet cell in the intestinal epithelium). Electron micrograph x6,0000 Pseudostratified (respiratory) epithelium A. Three main cell types of the respiratory epithelium (electron micrograph x 1,800) B. Luminal surface of the trachea (scanning electron micrograph x 1,200) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x11,600) Fibroblast (electron micrograph x12,000) Mast cell (electron micrograph x10,000) Plasma cell (electron micrograph x10,000) Adipocytes (fat cells) a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocyte of brown fat (multilocular fat cell) Erythrocytes and thrombocytes of blood (light and electron micrographs) a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x1,200)		
 (endothelium) of a blood vessel (electron micrograph x60,000) Simple columnar epithelium (absorptive cells and goblet cell in the intestinal epithelium). Electron micrograph x6,0000 Pseudostratified (respiratory) epithelium A. Three main cell types of the respiratory epithelium (electron micrograph x 1,800) B. Luminal surface of the trachea (scanning electron micrograph x 1,200) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x11,600) Fibroblast (electron micrograph x12,000) Mast cell (electron micrograph x10,000) Plasma cell (electron micrograph x10,000) Adipocytes (fat cells) a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocyte of brown fat (multilocular fat cell) Erythrocytes and thrombocytes of blood (light and electron micrographs) a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x1,200) 	20.	
22. Simple columnar epithelium (absorptive cells and goblet cell in the intestinal epithelium). Electron micrograph x6,0000 Pseudostratified (respiratory) epithelium A. Three main cell types of the respiratory epithelium (electron micrograph x 1,800) B. Luminal surface of the trachea (scanning electron micrograph x 1,200) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x11,600) 25. Fibroblast (electron micrograph x12,000) 26. Mast cell (electron micrograph x10,000) 27. Plasma cell (electron micrograph x10,000) Adipocytes (fat cells) a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocyte of brown fat (multilocular fat cell) Erythrocytes and thrombocytes of blood (light and electron micrographs) 29. a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x1,200)	21.	
Electron micrograph x6,0000 Pseudostratified (respiratory) epithelium A. Three main cell types of the respiratory epithelium (electron micrograph x 1,800) B. Luminal surface of the trachea (scanning electron micrograph x 1,200) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x11,600) 25. Fibroblast (electron micrograph x12,000) 26. Mast cell (electron micrograph x10,000) 27. Plasma cell (electron micrograph x10,000) Adipocytes (fat cells) a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocytes and thrombocytes of blood (light and electron micrographs) 29. a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x1,200)		
Pseudostratified (respiratory) epithelium A. Three main cell types of the respiratory epithelium (electron micrograph x 1,800) B. Luminal surface of the trachea (scanning electron micrograph x 1,200) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron microg x11,600) 25. Fibroblast (electron micrograph x12,000) 26. Mast cell (electron micrograph x10,000) 27. Plasma cell (electron micrograph x10,000) Adipocytes (fat cells) a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocytes of brown fat (multilocular fat cell) Erythrocytes and thrombocytes of blood (light and electron micrographs) a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x1,200)	22.	
 23. A. Three main cell types of the respiratory epithelium (electron micrograph x 1,800) B. Luminal surface of the trachea (scanning electron micrograph x 1,200) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron microg x11,600) 25. Fibroblast (electron micrograph x12,000) 26. Mast cell (electron micrograph x10,000) 27. Plasma cell (electron micrograph x10,000) Adipocytes (fat cells) a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocyte of brown fat (multilocular fat cell) Erythrocytes and thrombocytes of blood (light and electron micrographs) 29. a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x1,200) 		
B. Luminal surface of the trachea (scanning electron micrograph x 1,200) Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron microg x11,600) 25. Fibroblast (electron micrograph x12,000) 26. Mast cell (electron micrograph x10,000) 27. Plasma cell (electron micrograph x10,000) Adipocytes (fat cells) a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocyte of brown fat (multilocular fat cell) Erythrocytes and thrombocytes of blood (light and electron micrographs) 29. a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x1,200)		
Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been injected with latex particles; a number of particles have been engulfed by the cell (electron microg x11,600) 25. Fibroblast (electron micrograph x12,000) 26. Mast cell (electron micrograph x10,000) 27. Plasma cell (electron micrograph x10,000) Adipocytes (fat cells) a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocyte of brown fat (multilocular fat cell) Erythrocytes and thrombocytes of blood (light and electron micrographs) 29. a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x1,200)	23.	
 24. injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x11,600) 25. Fibroblast (electron micrograph x12,000) 26. Mast cell (electron micrograph x10,000) 27. Plasma cell (electron micrograph x10,000) Adipocytes (fat cells) a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocyte of brown fat (multilocular fat cell) Erythrocytes and thrombocytes of blood (light and electron micrographs) 29. a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x1,200) 		B. Luminal surface of the trachea (scanning electron micrograph x 1,200)
 24. injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph x11,600) 25. Fibroblast (electron micrograph x12,000) 26. Mast cell (electron micrograph x10,000) 27. Plasma cell (electron micrograph x10,000) Adipocytes (fat cells) a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocyte of brown fat (multilocular fat cell) Erythrocytes and thrombocytes of blood (light and electron micrographs) 29. a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x1,200) 		Active (phagocytic) macrophage obtained from the peritoneum of a rat which had previously been
x11,600) 25. Fibroblast (electron micrograph x12,000) 26. Mast cell (electron micrograph x10,000) 27. Plasma cell (electron micrograph x10,000) Adipocytes (fat cells) 28. a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocyte of brown fat (multilocular fat cell) Erythrocytes and thrombocytes of blood (light and electron micrographs) 29. a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x1,200)	24.	injected with latex particles; a number of particles have been engulfed by the cell (electron micrograph
 25. Fibroblast (electron micrograph x12,000) 26. Mast cell (electron micrograph x10,000) 27. Plasma cell (electron micrograph x10,000) Adipocytes (fat cells) 28. a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocyte of brown fat (multilocular fat cell) Erythrocytes and thrombocytes of blood (light and electron micrographs) 29. a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x1,200) 		
 26. Mast cell (electron micrograph x10,000) 27. Plasma cell (electron micrograph x10,000) Adipocytes (fat cells) 28. a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocyte of brown fat (multilocular fat cell) Erythrocytes and thrombocytes of blood (light and electron micrographs) 29. a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x1,200) 	25.	
 27. Plasma cell (electron micrograph x10,000) Adipocytes (fat cells) a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocyte of brown fat (multilocular fat cell) Erythrocytes and thrombocytes of blood (light and electron micrographs) 29. a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x1,200) 		C I
Adipocytes (fat cells) a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocyte of brown fat (multilocular fat cell) Erythrocytes and thrombocytes of blood (light and electron micrographs) a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x1,200)		
 a. Adipocytes of white fat (unilocular fat cells) in various stages of maturation b. Adipocyte of brown fat (multilocular fat cell) Erythrocytes and thrombocytes of blood (light and electron micrographs) a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x1,200) 	27.	
b. Adipocyte of brown fat (multilocular fat cell) Erythrocytes and thrombocytes of blood (light and electron micrographs) 29. a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x1,200)	28	
Erythrocytes and thrombocytes of blood (light and electron micrographs) 29. a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x1,200)	۷۵.	
29. a) R – reticulocytes of blood among mature erythrocytes (cresyl blue&eosin x1,200)		
	20	
Landa Compilare annine de la catala de como a como lo esta de MANA.	29.	
b) Erythrocytes (electron micrograph x16000):		b) Erythrocytes (electron micrograph x16000):

) Til. 1 (0)
	c) Thrombocytes among erythrocytes (Giemsa x1,600)
20	d) Thrombocytes (electron micrograph x22,500):
30.	Leukocytes of blood (scheme of the ultrastructural organization)
31.	Young chondrocyte (electron micrograph x16,000)
32.	Osteogenic cells (electron micrograph x2,500)
33.	The different functional states of an osteocyte (electron micrograph x25,000)
34.	Electron micrograph of an osteoclast
35.	Skeletal muscle fiber (electron micrograph x33,000) Interrelations between thin and thick myofilaments (electron micrograph x900,000)
36. 37.	Intercalated disc between cardiac myocytes (electron micrograph x31,000)
38.	Smooth myocyte in cross section (electron micrograph x 34,000)
39.	Unmyelinated nerve fibers
40.	Myelinated nerve fibers
	A. Splenic sinus and cords of reticular cells (scanning electron micrograph x 4,400)
41.	B. Splenic sinus (scanning electron micrograph x 5,300)
42.	Corneal stroma (electron micrograph x 16,700)
72.	Photoreceptor cells of the retina
43.	a. Portion of the inner and outer segments of rod-cell of the retina (electron micrograph x 32,000)
	b. Portion of the inner and outer segments of cone-cell of the retina (electron micrograph x 32,000)
	Hair cells of the organ of Corti
44.	A. Stereocilia on the apical surfaces of the cochlear hair cells (scanning electrone micrograph x 3,250)
	B. Outer hair cells (transmission electron micrograph x 6,300)
45.	Intercalated disc between cardiac myocytes (electron micrograph x 31,000)
46.	Comatic or continuous hemocapillary (electron micrograph x 12,000)
	Pericytes on the outer surface of hemocapillary (scanning electrone micrograph x 5,000)
47.	Sinusoidal capillary of the liver (electron micrograph)
48.	Thin skin (electron micrograph x 8,000)
	Stratum spinosum and stratum granulosum of the thin skin
49.	a. Stratum spinosum and stratum granulosum (electron micrograph x 15,000)
	b. Stratum spinosum (electron micrograph x 58,000)
50.	Olfactory epithelium (electron micrograph x 8,260)
	Respiratory epithelium
51.	A. Three main cell types of the respiratory epithelium (electron micrograph x 1,800)
	B. Luminal surface of the trachea (scanning electron micrograph x 1,200)
52.	The wall of a terminal bronchiole (electron micrograph)
53.	Air-blood barrier (electron micrograph x 33,000)
54.	Type II pneumocyte protruding into alveolar lumen (electron micrograph x 30,000)
55.	Alveolar brush cell (electron micrograph)
56.	Hassall's corpuscle (electron micrograph x 5000) A. Splenic sinus and cords of reticular cells (scanning electron micrograph x 4,400)
57.	 A. Splenic sinus and cords of reticular cells (scanning electron micrograph x 4,400) B. Splenic sinus (scanning electron micrograph x 5,300)
58.	Thyroid follicle (electron micrograph x 6,800)
36.	•
	Odontoblast and dentin in the developing tooth A. Odontoblast layer is identified by a brace; dentinal tubules are indicated by arrows (electron
59.	
	micrograph x 3,416) B. Cytoplasmic process of a young odontoblast (electron micrograph x 34,000)
60.	Taste bud (Diagram) Electron micrograph. × 17500
61.	Surface-lining cell from the body of a stomach (electron micrograph x 11632)
62.	Chief cell withing a fundic gland of stomach (electron micrograph x 11837)
63.	Parietal cell withing a fundic gland of stomach (electron micrograph x 9600)
64.	Mucous neck cell withing a fundic gland of stomach (electron micrograph x 11000)
65.	Enteroendocrine cell within a fundic gland of stomach (electron micrograph x 11000)
66.	Small intestine enterocytes A. (Electronic micrograph x 4540) B. (Electronic micrograph x 22000)
67.	Part of the pancreatic acinus (Electronic micrograph x 8500)
68.	Human liver tissue (electron micrograph)
69.	Gallbladder epithelium (electron micrograph x 29,000)
07.	Cultofundor opinionalin (ofeonon interograph & 27,000)

	Bile and sinusoidal capillaries of a liver (electron micrograph)
	A. Low-power scanning electron micrograph from a liver showing a sinusoid (asterisk) and bile
70.	canaliculi between hepatocytes (arrows).
	B. High-power scanning electron micrograph from a liver showing numerous microvilli within the
	bile canaliculus (arrow).
71.	Renal corpuscle
72.	Convoluted tubules of a nephron
73.	Juxtaglomerular apparatus
74.	Sperm (electron micrograph)
75.	Seminiferious epithelium (electron micrograph)
76.	Junctional complexes between adjacent Sertoli cells (electron micrograph)
77.	Leydig cells (electron micrograph)
78.	Primordial ovarian follicle
79.	Oviduct epithelium
80.	Lactating mammary gland
81.	Fertilization (scanning electrone micrograph x 5,700)
82.	Placental barrier (electron micrograph x 45000)

6. CRITERIA FOR EVALUATING LEARNING OUTCOMES

Learning Assessment of competence developed			npetence developed	
outcomes	unsatisfactory	satisfactory	good	excellent
Completeness of knowledge	The level of knowledge is below the minimum requirements. There were bad mistakes	The minimum acceptable level of knowledge. A lot of light mistakes were made	The level of knowledge in the volume corresponding to the training program. A few light mistakes were made	The level of knowledge in the volume corresponding to the training program, without errors
Availability of skills	Basic skills are not demonstrated when solving standard tasks. There were bad mistakes Basic skills are not	Basic skills are demonstrated. Typical problems with light mistakes have been solved. All tasks have been completed, but not in full. There is a	All basic skills are demonstrated. All the main tasks have been solved with light mistakes. All tasks have been completed, in full, but some of them with shortcomings Basic skills in	All the basic skills were demonstrated, all the main tasks were solved with some minor shortcomings, all the tasks were completed in full Skills in solving
Availability of skills (possession of experience)	demonstrated when solving standard tasks. There were bad mistakes	minimal set of skills for solving standard tasks with some shortcomings	solving standard tasks with some shortcomings are demonstrated	non-standard tasks without mistakes and shortcomings are demonstrated
Characteristics of competence formation*	The competence is not fully formed. The available knowledge and skills are not enough to solve professional tasks. Repeated training is required	The formation of competence meets the minimum requirements. The available knowledge and abilities are generally sufficient to solve professional tasks, but additional	The formation of competence generally meets the requirements, but there are shortcomings. The available knowledge, skills and motivation are generally sufficient to solve professional tasks, but additional	The formation of competence fully meets the requirements. The available knowledge, skills and motivation are fully sufficient to solve complex professional tasks

Learning	Assessment of competence developed			
outcomes	unsatisfactory	satisfactory	good	excellent
		practice is required for most practical tasks	practice is required for some professional tasks	
The level of competence formation*	Low	Below average	Intermediate	High

For testing:

Mark "5" (Excellent) - points (100-90%)
Mark "4" (Good) - points (89-80%)
Mark "3" (Satisfactory) - points (79-70%)
Less than 70% — Unsatisfactory - Mark "2"

Developer:

N.V. Blagova PhD, Associa	te Professor of the Department	of Histology with Cytology and
Embryology of FGBU VPO	PIMU Ministry of Health of Ru	ussian Federation

D-4- !!	11	202
Date "		202